WHEN SHOULD WE (NOT) INTERPRET LINEAR IV ESTIMANDS AS LATE?

Tymon Słoczyński

Abstract

In this paper I revisit the interpretation of the linear instrumental variables (IV) estimand as a weighted average of conditional local average treatment effects (LATEs). I focus on a practically relevant situation in which additional covariates are required for identification while the reduced-form and first-stage regressions implicitly restrict the effects of the instrument to be homogeneous, and are thus possibly misspecified. I show that the weights on some conditional LATEs are negative and the IV estimand is no longer interpretable as a causal effect under a weaker version of monotonicity, i.e. when there are compliers but no defiers at some covariate values and defiers but no compliers elsewhere. The problem of negative weights disappears in the overidentified specification of Angrist and Imbens (1995) and in an alternative method, termed "reordered IV," that I also develop. Even if all weights are positive, the IV estimand in the just identified specification is not interpretable as the unconditional LATE parameter unless the groups with different values of the instrument are roughly equal sized. I illustrate my findings in an application to causal effects of college education using the college proximity instrument. The benchmark estimates suggest that college attendance yields earnings gains of about 60 log points, which is well outside the range of estimates in the recent literature. I demonstrate that this result is driven by the existence of defiers and the presence of negative weights. Corrected estimates indicate that attending college causes earnings to be roughly 20% higher.

Tymon Słoczyński is an Assistant Professor at the Department of Economics and International Business School, Brandeis University. E-mail: tslocz@brandeis.edu.

This version: June 25, 2021. I am very grateful to Brant Callaway, Xavier D'Haultfœuille, Stefan Hoderlein, Peter Hull, Shoya Ishimaru, Krzysztof Karbownik, Michal Kolesár, Áureo de Paula, Jon Roth, Pedro Sant'Anna, Vira Semenova, Jesse Shapiro, Gary Solon, Alex Torgovitsky, Ed Vytlacil, Chris Walters, Jeff Wooldridge, Yinchu Zhu, and seminar and conference participants at Emory University, SEA 2020, NY Camp Econometrics 2021, SOLE 2021, and IAAE 2021 for helpful comments and discussions. I also thank Anne Laski for excellent research assistance. Section 4 of this paper draws and expands on some of the results from my previous working paper, Słoczyński (2018). I acknowledge financial support from the Theodore and Jane Norman Fund.

1 Introduction

Many instrumental variables are only valid after conditioning on additional covariates. Angrist and Imbens (1995) provide an influential interpretation of the two-stage least squares (2SLS) estimand in this context as a convex combination of conditional local average treatment effects (LATEs), *i.e.* average effects of treatment for individuals whose treatment status is affected by the instrument. However, Angrist and Imbens (1995) restrict their attention to saturated models with discrete covariates as well as reduced-form and first-stage regressions that include a full set of interactions between these covariates and the instrument; this is equivalent to requiring that the researcher estimates a separate reduced-form and first-stage regression for every combination of covariate values. Such specifications are very rare in empirical work. For example, in a survey of recent papers with multiple instruments, only 13% of applications use covariate interactions with an original instrument (Mogstad, Torgovitsky, and Walters, 2020). This severely limits the applicability of Angrist and Imbens (1995)'s result to interpreting actual IV and 2SLS estimates (cf. Abadie, 2003).

Recent contributions to this line of research, notably those of Kolesár (2013) and Evdokimov and Kolesár (2019), relax many of the limitations of Angrist and Imbens (1995)'s result and support the view that linear IV and 2SLS estimands can generally be written as a convex combination of conditional LATEs. Evdokimov and Kolesár (2019) consider nonsaturated specifications and provide a generalization of Angrist and Imbens (1995)'s result under the assumption that the reduced-form and first-stage regressions are correctly specified. Kolesár (2013) allows for misspecification of these regressions as well as what I refer to as "weak monotonicity," *i.e.* the existence of compliers but no defiers at some covariate values and the existence of defiers but no compliers elsewhere, and concludes that even in this case the interpretation of linear IV and 2SLS estimands as a convex combination of conditional LATEs is generally correct, subject to some additional assumptions. These assumptions essentially require that the first stage postulated by the researcher provides a sufficiently good approximation to the true first stage.

In this paper I present a more pessimistic view of the causal interpretability of linear IV and 2SLS estimands. In particular, I study the questions of whether the IV weights on conditional LATEs are positive and, if they are, whether they have an intuitive interpretation. My answer to both of these questions is rather negative. To be specific, I make four main contributions to the literature on instrumental variables. First, I demonstrate that under weak monotonicity the weights on some conditional LATEs are negative in the common situation where the reduced-form

¹Following Angrist, Imbens, and Rubin (1996), "compliers" are individuals who get treated when encouraged to do so but not otherwise, while "defiers" are those who do not get treated when encouraged to do so and get treated otherwise. (Note that both the treatment and the instrument are binary in this setting.) Usually, the existence of defiers is ruled out for all covariate values (*e.g.*, Abadie, 2003), and the instrument is assumed to influence treatment status in only one direction. Clearly, weak monotonicity contains this stronger assumption as a special case, and may be preferred whenever it is difficult to rule out the existence of defiers altogether.

and first-stage regressions incorrectly restrict the effects of the instrument to be homogeneous. While Kolesár (2013)'s results apply to a wide range of specifications, his conditions for positive weights are not satisfied in this benchmark case. It follows that the IV estimand may no longer be interpretable as a causal effect; this parameter may turn out to be negative (positive) even if treatment effects are positive (negative) for everyone in the population.

Second, unlike in previous contributions to this literature, I explicitly compare the weights in the usual application of IV and in Angrist and Imbens (1995)'s specification with what I refer to as the "desired" weights, that is, the weights that recover the unconditional LATE parameter. The advantage of Angrist and Imbens (1995)'s specification is that it is guaranteed to produce a convex combination of conditional LATEs even under weak monotonicity. However, if the existence of defiers is ruled out at all covariate values, which I refer to as "strong monotonicity," both specifications overweight the effects in groups with large variances of the instrument while Angrist and Imbens (1995)'s specification also overweights the effects in groups with strong first stages. This additional difference between the "desired" weights and Angrist and Imbens (1995)'s weights could make the usual application of IV more suitable under strong monotonicity.

Third, I provide a simple diagnostic for negative weights and an alternative estimation method, which shares the ability of Angrist and Imbens (1995)'s specification to deliver a convex combination of conditional LATEs as well as the advantage of the usual application of IV of only using a single instrument. In particular, I recommend that empirical researchers always begin their analysis by estimating the first stage in a flexible way, allowing for heterogeneous effects of the instrument. A testable implication of strong monotonicity is that the sign of the first stage is the same for all covariate values. If this requirement is not satisfied, which is easy to verify, the usual application of IV will not be valid.² Alternatively, the first-stage estimates can be used to "reorder" the values of the instrument. Indeed, we can redefine the instrument to take the value 1 for this value of the original instrument that encourages treatment conditional on covariates and the value 0 otherwise. This new instrument can then be used in a just identified specification, which I refer to as "reordered IV" and where the weights on all conditional LATEs are again positive.³

Finally, I demonstrate that the weights in the standard (just identified) specification are often problematic for interpretation even under strong monotonicity. I show that the IV estimand may be quantitatively and qualitatively different from the unconditional LATE parameter whenever the groups with different values of the instrument are not approximately equal sized. Put another way,

²The logic of this test is similar to that of Sant'Anna and Song (2019), who study specification tests for the propensity score.

³It is recommended to use either the specification test or the "reordered IV" procedure, as using the former as a pretest could lead to invalid inference. Note that "reordered IV" is appropriate regardless of whether strong monotonicity is violated or not. In fact, when the sign of the first stage is the same for all covariate values, the usual application of IV and "reordered IV" are identical.

I demonstrate that the IV estimand may be substantially different from the parameter of interest even if all weights are positive and integrate to one, unless the relevant population is balanced in a particular sense. I develop simple diagnostic tools that can be used to detect whether the otherwise positive weights are problematic or not.

I conclude this paper with a replication of Card (1995)'s analysis of returns to schooling using the college proximity instrument. Focusing on causal effects of college education, I show that the benchmark estimates suggest that college attendance yields earnings gains of about 60 log points, which substantially exceeds the range of estimates in the recent literature (*e.g.*, Hoekstra, 2009; Zimmerman, 2014; Smith, Goodman, and Hurwitz, 2020). Then, however, I demonstrate that this result is driven by the failure of strong monotonicity and the presence of negative weights. Corrected estimates, including nonparametric estimates of the unconditional LATE parameter, indicate that attending college causes earnings to be about 20% higher, which is in line with the literature.⁴

The remainder of the paper is organized as follows. Section 2 introduces my framework. Section 3 studies the question of whether linear IV and 2SLS estimands can generally be written as a convex combination of conditional LATEs. Section 4 demonstrates that the IV weights may continue to be problematic even in cases where they are positive. Section 5 illustrates my findings in an application to causal effects of college education. Section 6 concludes.

2 Framework

In this section I formally define the statistical objects of interest, *i.e.* the conditional and unconditional IV and 2SLS estimands. I reserve the term "2SLS" for the appropriate estimator and estimand in overidentified models; see equation (3) below. When the model is just identified, I use the term "IV" or "linear IV"; see equation (2). In what follows, I also review identification in the LATE framework with covariates (see, *e.g.*, Abadie, 2003; Frölich, 2007). Unlike in most previous studies, I devote particular attention to the possibility that compliers and defiers may coexist but not at any given value of covariates (see also Kolesár, 2013; Semenova, 2020). Throughout the paper I also assume that the appropriate moments exist whenever necessary.

2.1 Notation and Estimands

Suppose that we are interested in the causal effect of a binary treatment, D, on an outcome, Y. For every individual, we define two potential outcomes, Y(1) and Y(0), which correspond to the values of Y that this individual would attain if treated (D = 1) and if not treated (D = 0), respectively.

⁴Barua and Lang (2016) provide another recent analysis of the monotonicity assumption in an IV application. In a related context of a randomized experiment with endogenous sample selection, Semenova (2020) provides empirical evidence against what I refer to as "strong monotonicity."

Thus, Y(1) - Y(0) is the treatment effect. The treatment D is allowed to be endogenous but a binary instrument, Z, is also available. Let D(1) and D(0) denote the potential treatment statuses that correspond to the treatment actually received by an individual when their instrument assignment is given by Z = 1 and Z = 0, respectively. Consequently, Y = Y(D) and D = D(Z). If the observed outcome were to depend directly on Z, we would write Y = Y(Z, D). Finally, let $X = (1, X_1, \ldots, X_J)$ denote a row vector of covariates. In some cases I will allow for the possibility that additional instruments have been created by interacting Z with all elements of X; then, $Z_C = (Z, ZX_1, \ldots, ZX_J)$ will be used to denote the resulting row vector of instruments.

To provide motivation for what follows, let us consider the standard single-equation linear model for our outcome of interest:

$$Y = D\beta + X\gamma + \nu, \tag{1}$$

where X and the instrument(s) are assumed to be uncorrelated with v. Also, β is the coefficient of interest. Unlike in textbook treatments of this model but in line with the literature on local average treatment effects, I do not assume that equation (1) is correctly specified; in particular, I allow the effect of D on Y to be heterogeneous and correlated with both observables and unobservables.

In practice, however, many researchers act as if this model is correctly specified and use linear IV or 2SLS for estimation. In what follows, I will focus on the interpretation of the probability limits of the IV and 2SLS estimators of β when equation (1) is possibly misspecified. With a single instrument, the probability limit of linear IV or, simply, the (linear) IV estimand is

$$\beta_{\text{IV}} = \left[\left(\text{E} \left[Q'W \right] \right)^{-1} \text{E} \left[Q'Y \right] \right]_{1}, \tag{2}$$

where W = (D, X), Q = (Z, X), and $[\cdot]_k$ denotes the kth element of the corresponding vector. It is useful to note that equation (2) characterizes the usual (just identified) application of instrumental variables when a single instrument is available. This specification also corresponds to reduced-form and first-stage regressions that project Y and D, respectively, on X and Z, excluding any interactions between X and Z.

If a vector of instruments, Z_C , has been created and 2SLS is used for estimation, the relevant probability limit or, simply, the 2SLS estimand is

$$\beta_{2SLS} = \left[\left(\mathbb{E} \left[W' Q_{C} \right] \left(\mathbb{E} \left[Q'_{C} Q_{C} \right] \right)^{-1} \mathbb{E} \left[Q'_{C} W \right] \right)^{-1} \mathbb{E} \left[W' Q_{C} \right] \left(\mathbb{E} \left[Q'_{C} Q_{C} \right] \right)^{-1} \mathbb{E} \left[Q'_{C} Y \right] \right]_{1}, \quad (3)$$

where $Q_C = (Z_C, X)$. In this specification, the corresponding reduced-form and first-stage regressions project Y and D, respectively, on X and Z_C , and hence we implicitly allow for heterogeneity in the effects of Z on Y and D.

Regardless of the implicit restrictions on the effects of the instrument, the true first stage can

be written as

$$E[D \mid X, Z] = \psi(X) + \omega(X) \cdot Z, \tag{4}$$

where

$$\omega(x) = E[D \mid Z = 1, X = x] - E[D \mid Z = 0, X = x]$$
(5)

is the conditional first-stage slope coefficient or, equivalently, the coefficient on Z in the regression of D on 1 and Z in the subpopulation with X = x. Similarly, the conditional IV (or Wald) estimand can be written as

$$\beta(x) = \frac{\mathrm{E}[Y \mid Z = 1, X = x] - \mathrm{E}[Y \mid Z = 0, X = x]}{\mathrm{E}[D \mid Z = 1, X = x] - \mathrm{E}[D \mid Z = 0, X = x]}.$$
 (6)

This parameter is equivalent to the coefficient on D in the IV regression of Y on 1 and D in the subpopulation with X = x, with Z as the instrument for D.

2.2 Local Average Treatment Effects

In what follows, I will briefly review the LATE framework of Imbens and Angrist (1994) and Angrist *et al.* (1996), focusing on its extension to the case with additional covariates.

The population consists of four latent groups: always-takers, for whom D(1) = 1 and D(0) = 1; never-takers, for whom D(1) = 0 and D(0) = 0; compliers, for whom D(1) = 1 and D(0) = 0; and defiers, for whom D(1) = 0 and D(0) = 1. As demonstrated by Imbens and Angrist (1994), if, among other things, we rule out the existence of defiers and assume that X is orthogonal to Z, the estimand of interest, $\beta_{\text{IV}} = \beta_{2\text{SLS}} = \frac{\text{E}[Y|Z=1] - \text{E}[Y|Z=0]}{\text{E}[D|Z=0]}$, recovers the average treatment effect for compliers, usually referred to as the local average treatment effect (LATE).

Some of my results will allow for the existence of both compliers and defiers, and hence throughout this paper I follow Kolesár (2013) in defining LATE as

$$\tau_{\text{LATE}} = E[Y(1) - Y(0) \mid D(1) \neq D(0)], \tag{7}$$

i.e. the average treatment effect for individuals whose treatment status is affected by the instrument. This group includes both compliers and defiers; it will be restricted to compliers whenever the existence of defiers is ruled out. It is useful to note that this unconditional LATE parameter can also be written as

$$\tau_{\text{LATE}} = \frac{\text{E}\left[\pi(X) \cdot \tau(X)\right]}{\text{E}\left[\pi(X)\right]},\tag{8}$$

where

$$\tau(x) = \mathbb{E}[Y(1) - Y(0) \mid D(1) \neq D(0), X = x] \tag{9}$$

is the conditional LATE and

$$\pi(x) = P[D(1) \neq D(0) \mid X = x]$$
(10)

is the conditional proportion of compliers and defiers. The following assumption, together with additional assumptions below, will be used to identify $\tau(x)$ and $\pi(x)$, and thereby also τ_{LATE} .

Assumption IV.

- (i) (Conditional independence) $(Y(0,0), Y(0,1), Y(1,0), Y(1,1), D(0), D(1)) \perp Z \mid X$;
- (ii) (Exclusion restriction) $P[Y(1,d) = Y(0,d) \mid X] = 1$ for $d \in \{0,1\}$ a.s.;

(iii) (Relevance)
$$0 < P[Z = 1 \mid X] < 1$$
 and $P[D(1) = 1 \mid X] \neq P[D(0) = 1 \mid X]$ a.s.

Assumption IV(i) postulates that the instrument is "as good as randomly assigned" conditional on covariates. Assumption IV(ii) states that the instrument does not directly affect the outcome; its only effect on the outcome is through treatment status. Finally, Assumption IV(iii) requires that there is variation in the instrument as well as a distinct number of compliers and defiers at every value of covariates, that is, the instrument is relevant. I do not assume that X is orthogonal to Z.

Assumption IV is not sufficient to identify $\tau(x)$ and $\pi(x)$. It is also necessary to restrict the existence of defiers (Imbens and Angrist, 1994). The following assumption, due to Abadie (2003), rules out the existence of defiers at any value of covariates.

Assumption SM (Strong monotonicity). $P[D(1) \ge D(0) \mid X] = 1$ a.s.

The basic premise of this paper is that Assumption SM may often be too restrictive (cf. Gautier and Hoderlein, 2015; de Chaisemartin, 2017; Dahl, Huber, and Mellace, 2019). A testable implication of Assumption SM is that $\omega(x)$, the conditional first-stage slope coefficient, is always nonnegative. If this implication is rejected, an alternative assumption is necessary to obtain point identification. One possibility is to restrict the heterogeneity in treatment effects conditional on covariates, as discussed by Heckman and Vytlacil (2005) and Mogstad and Torgovitsky (2018), among others, in which case we will be able to identify the average treatment effect rather than the unconditional LATE parameter.⁵ Another possibility is to replace Assumption SM with a weaker assumption that postulates the existence of compliers but no defiers at some covariate values and the existence of defiers but no compliers elsewhere (cf. Kolesár, 2013; Semenova, 2020). While the relative appeal of these two assumptions is context dependent, I will mostly focus on the latter in what follows.

⁵Indeed, if we assume that the marginal treatment effect, *i.e.* the effect of treatment conditional on observables and unobservables, does not, in fact, depend on unobservables, then the conditional Wald estimand, $\beta(x)$, identifies the conditional average treatment effect, E[Y(1) - Y(0) | X = x]. In this case, we can also identify the average treatment effect (ATE), since $\tau_{ATE} = E[Y(1) - Y(0)] = E[E[Y(1) - Y(0) | X]]$. Of course, this restriction on treatment effects is fairly strong, as it implies that either Y(1) - Y(0) is identical for all individuals with X = x or these individuals do not select into treatment based on their unobserved returns from this treatment (Heckman and Vytlacil, 2005).

Assumption WM (Weak monotonicity). There exists a partition of the covariate space such that $P[D(1) \ge D(0) \mid X] = 1$ a.s. on one subset and $P[D(1) \le D(0) \mid X] = 1$ a.s. on its complement.

Assumption WM is obviously weaker than Assumption SM but it is still restrictive. While it allows compliers and defiers to coexist, it postulates that the sign of the effect of Z on D depends only on observables. For example, many papers use the distance to the nearest college as an instrument for educational attainment (e.g., Card, 1995). It may be the case that college proximity never discourages poor students from attending college and never encourages rich students to do so. This would be consistent with Assumption WM. In contrast, Assumption SM would require that there are no students at any value of covariates for whom college proximity is discouraging. This would also be consistent with, although not required by, Assumption WM.

Alternatively, consider an application of "judge" or "examiner" instruments. For example, Maestas, Mullen, and Strand (2013) study the effects of disability insurance receipt on labor supply using plausibly random variation in strictness of disability examiners. In a simple setting with two examiners, Assumption SM would require that one examiner is universally more lenient than the other, which may not be reasonable. On the other hand, Assumption WM would allow for the possibility that both examiners, who may belong to different ethnic groups, are more lenient, say, towards members of their own group.

Although Assumption WM is not innocuous, it may constitute a useful way forward when Assumption SM is rejected and the researcher is unwilling to restrict treatment effect heterogeneity. Indeed, Assumption WM, together with Assumption IV, still allows us to identify $\tau(x)$ and $\pi(x)$. Before stating the relevant lemma, it is useful to define an auxiliary function

$$c(x) = \operatorname{sgn}(P[D(1) \ge D(0) \mid X = x] - P[D(1) \le D(0) \mid X = x]), \tag{11}$$

where $sgn(\cdot)$ is the sign function. Clearly, c(x) equals 1 if there are only compliers at X = x and -1 if there are only defiers at X = x.

The following lemma summarizes identification of the conditional LATE parameter and the conditional proportion of individuals whose treatment status is affected by the instrument.

Lemma 2.1.

- (i) Under Assumptions IV and SM, $\tau(x) = \beta(x)$ and $\pi(x) = \omega(x)$.
- (ii) Under Assumptions IV and WM, $\tau(x) = \beta(x)$ and $\pi(x) = |\omega(x)| = c(x) \cdot \omega(x)$.

Lemma 2.1 consists of well-known results and straightforward extensions of these results, and as such it is stated without proof (cf. Angrist *et al.*, 1996; Angrist and Pischke, 2009). The conditional

Wald estimand identifies the conditional LATE parameter under both strong and weak monotonicity. Under Assumption SM, the conditional proportion of compliers is identified as the conditional first-stage slope coefficient, $\omega(x)$. Under Assumption WM, the conditional proportion of compliers or defiers is identified as the absolute value of this coefficient; the coefficient is negative if and only if there are defiers but no compliers at a given value of covariates. Finally, it will be useful for what follows that $[\pi(x)]^2 = [\omega(x)]^2$ under either strong or weak monotonicity.

3 Are the Weights Positive?

In this section I study whether linear IV and 2SLS estimands can be interpreted as a convex combination of conditional local average treatment effects (LATEs). I argue that in many situations the answer is negative. Indeed, in the usual application of IV the weights on some conditional LATEs are negative under Assumption WM and, in general, whenever there are more defiers than compliers at some covariate values. I propose a diagnostic test and a simple correction for this problem, which offers protection against negative weights. I refer to this procedure as "reordered IV."

3.1 Angrist and Imbens (1995), Revisited

Let us begin by revisiting Angrist and Imbens (1995)'s representation of the 2SLS estimand. Recall that Angrist and Imbens (1995) study a special case of the model in equation (1) where all covariates are binary and represent membership in disjoint groups or strata. In this case, each of the original covariates needs to be discrete, in which case the population can be divided into K groups, where K corresponds to the number of possible combinations of values of these variables. (For example, with six binary variables, we have $K = 2^6 = 64$.) Let $G \in \{1, ..., K\}$ denote group membership and $G_k = 1[G = k]$ denote the resulting group indicators. Angrist and Imbens (1995) consider a model where original covariates are replaced with these group indicators while reduced-form and first-stage regressions include a full set of interactions between these indicators and Z. Put another way, $X = (1, G_1, ..., G_{K-1})$ and $Z_C = (Z, ZG_1, ..., ZG_{K-1})$. As a result, we have a separate first-stage coefficient on Z for every value of X. The following lemma restates Angrist and Imbens (1995)'s and Kolesár (2013)'s interpretation of the 2SLS estimand in this context.

Lemma 3.1 (Angrist and Imbens, 1995; Kolesár, 2013). *Under Assumptions IV and either SM or WM, and with X* = $(1, G_1, ..., G_{K-1})$ *and Z*_C = $(Z, ZG_1, ..., ZG_{K-1})$,

$$\beta_{2\text{SLS}} = \frac{\mathrm{E}\left[\sigma^2(X) \cdot \tau(X)\right]}{\mathrm{E}\left[\sigma^2(X)\right]},$$

where
$$\sigma^2(X) = \mathbb{E}\left[(\mathbb{E}\left[D \mid X, Z\right] - \mathbb{E}\left[D \mid X\right])^2 \mid X \right].$$

Lemma 3.1 establishes that the 2SLS estimand in the overidentified specification of Angrist and Imbens (1995) is a convex combination of conditional LATEs, with weights equal to the conditional variance of the first stage. This result is due to Angrist and Imbens (1995) and has usually been interpreted as requiring that the existence of defiers is completely ruled out (see, *e.g.*, Angrist and Pischke, 2009). Kolesár (2013) demonstrates that it also holds under weak monotonicity.

A limitation of Lemma 3.1 is that it may not be immediately obvious how the 2SLS weights differ from the "desired" weights in equation (8). The following result facilitates this comparison.

Theorem 3.2. Under Assumptions IV and either SM or WM, and with $X = (1, G_1, ..., G_{K-1})$ and $Z_C = (Z, ZG_1, ..., ZG_{K-1})$,

$$\beta_{2\text{SLS}} = \frac{\mathrm{E}\left[\left[\pi(X)\right]^{2} \cdot \mathrm{Var}\left[Z \mid X\right] \cdot \tau(X)\right]}{\mathrm{E}\left[\left[\pi(X)\right]^{2} \cdot \mathrm{Var}\left[Z \mid X\right]\right]}.$$

Proof. Lemma 3.1 states that $\beta_{2SLS} = \frac{\mathbb{E}\left[\sigma^2(X)\cdot\tau(X)\right]}{\mathbb{E}\left[\sigma^2(X)\right]}$. It remains to show that $\sigma^2(X) = [\pi(X)]^2 \cdot \text{Var}\left[Z \mid X\right]$. Indeed, it follows from the definition of $\sigma^2(X)$, equation (4), and iterated expectations that $\sigma^2(X) = [\omega(X)]^2 \cdot \text{Var}\left[Z \mid X\right]$. Then, it follows from Lemma 2.1 that $\sigma^2(X) = [\pi(X)]^2 \cdot \text{Var}\left[Z \mid X\right]$ because $[\omega(X)]^2 = [\pi(X)]^2$ under Assumptions IV and either SM or WM.

Theorem 3.2 shows that the 2SLS estimand in Angrist and Imbens (1995)'s specification is a convex combination of conditional LATEs, with weights equal to the product of the squared conditional proportion of compliers or defiers and the conditional variance of Z. (See also Walters (2018) for a related remark that focuses on "descriptive" estimands and does not use the LATE framework for interpretation.) Since the "desired" weights, as shown in equation (8), consist only of the conditional proportion of compliers or defiers, Angrist and Imbens (1995)'s specification overweights the effects in groups with strong first stages (*i.e.* many individuals affected by the instrument) and with large variances of Z. This is the case under both strong and weak monotonicity.

Remark 3.1. A major limitation of Lemma 3.1 and Theorem 3.2 is that empirical applications of IV methods rarely consider fully heterogeneous first stages and saturated specifications with discrete covariates.⁶ As mentioned above, in a survey of recent papers with multiple instruments, only 13% of applications interact covariates with an original instrument (Mogstad *et al.*, 2020). Specifications using many overidentifying restrictions appear to have been more common in earlier work using IV methods (*e.g.*, Angrist, 1990; Angrist and Krueger, 1991) but have effectively

⁶At the same time, recent theoretical work provides methods that exploit first-stage heterogeneity for various purposes. Abadie, Gu, and Shen (2019) propose a procedure that improves the asymptotic mean squared error of IV estimation under the assumption of homogeneous treatment effects. Caetano and Escanciano (2021) use first-stage heterogeneity to identify multiple marginal effects with a single instrument.

disappeared from empirical economics out of concern for weak instruments.⁷

Remark 3.2. If we replace either of the monotonicity assumptions with an appropriate restriction on treatment effect heterogeneity, as discussed in Section 2.2, the 2SLS estimand in Angrist and Imbens (1995)'s specification will correspond to a convex combination of conditional ATEs, with weights equal to the product of the squared conditional first-stage slope coefficient and the conditional variance of Z. Since the unconditional ATE, $\tau_{\text{ATE}} = E[Y(1) - Y(0)]$, is an unweighted average of conditional ATEs, this weighting may be undesirable whenever ATE is of interest.

3.2 Results for Just Identified Models

Remark 3.1 suggests that Theorem 3.2 is not necessarily useful for interpreting actual empirical studies because modern applications of IV methods avoid using many overidentifying restrictions. A similar point is made by Angrist and Pischke (2009, p. 178), who write that "[i]n practice, we may not want to work with a model with a first-stage parameter for each value of the covariates... It seems reasonable to imagine that models with fewer parameters, say a restricted first stage imposing a constant [effect of Z on D], nevertheless approximate some kind of covariate-averaged LATE. This turns out to be true, but the argument [due to Abadie (2003)] is surprisingly indirect." In what follows, I will show that this claim would be *false* under weak monotonicity. The claim is true under strong monotonicity, which I will be able to demonstrate directly. I will revisit Abadie (2003)'s indirect argument later on.

To save space, I combine two extensions of Angrist and Imbens (1995)'s analysis in what follows. On the one hand, I am interested in the interpretation of the IV estimand when we retain Angrist and Imbens (1995)'s restriction that the model for covariates is saturated but no longer require that there is a separate first-stage coefficient on the instrument for every combination of covariate values. This analysis does not require any additional assumptions. On the other hand, I am also interested in the interpretation of the IV estimand in nonsaturated specifications. This analysis proceeds under the assumption that the instrument propensity score, defined as

$$e(X) = \mathbf{E}[Z \mid X], \tag{12}$$

i.e. the conditional probability that an individual is assigned Z = 1, is linear in X. This assumption is standard and has been used by Abadie (2003), Kolesár (2013), Lochner and Moretti (2015), and Evdokimov and Kolesár (2019), among others.

Assumption PS (Instrument propensity score). $e(X) = X\alpha$.

⁷Indeed, Bound, Jaeger, and Baker (1995) write that their results "indicate that *the common practice* of adding interaction terms as excluded instruments may exacerbate the [weak instruments] problem" (emphasis mine).

Assumption PS holds automatically when Z is randomized, and also when all covariates are discrete and the model for covariates is saturated. (This is why the extensions for saturated and nonsaturated specifications result in the same interpretation of the IV estimand.) Assumption PS may also provide a good approximation to e(X) in other situations, especially when X includes powers and cross-products of original covariates.

Let us first consider the case of weak monotonicity. The following result clarifies the lack of causal interpretability of the linear IV estimand in this context.

Theorem 3.3. Under Assumptions IV and WM, and additionally (i) with $X = (1, G_1, ..., G_{K-1})$ or (ii) under Assumption PS,

$$\beta_{\text{IV}} = \frac{\text{E}\left[c(X) \cdot \pi(X) \cdot \text{Var}\left[Z \mid X\right] \cdot \tau(X)\right]}{\text{E}\left[c(X) \cdot \pi(X) \cdot \text{Var}\left[Z \mid X\right]\right]}.$$

Proof. See Appendix A.

Theorem 3.3 provides a new representation of the IV estimand in the standard specification, *i.e.* one that, perhaps incorrectly, restricts the effects of the instrument in the reduced-form and first-stage regressions to be homogeneous. Unlike in Angrist and Imbens (1995)'s specification, the estimand in the standard specification is not necessarily a convex combination of conditional LATEs. This is because c(x) takes the value -1 for every value of covariates where there exist defiers but no compliers, and hence the corresponding weights in Theorem 3.3 are negative as well. It follows that, when IV is applied in the usual way, the estimand may no longer be interpretable as a causal effect. It is possible that this parameter may turn out to be negative (positive) even if treatment effects are positive (negative) for everyone in the population.

The following result demonstrates that this problem disappears when we impose the strong version of monotonicity.

Corollary 3.4. Under Assumptions IV and SM, and additionally (i) with $X = (1, G_1, ..., G_{K-1})$ or (ii) under Assumption PS,

$$\beta_{\text{IV}} = \frac{\text{E}\left[\pi(X) \cdot \text{Var}\left[Z \mid X\right] \cdot \tau(X)\right]}{\text{E}\left[\pi(X) \cdot \text{Var}\left[Z \mid X\right]\right]}.$$

Proof. Note that Assumption SM is a special case of Assumption WM where the existence of compliers but no defiers is postulated at all covariate values and the existence of defiers but no compliers everywhere else (*i.e.* on an empty set). Thus, it follows from Theorem 3.3 that, under Assumptions IV and SM, $\beta_{IV} = \frac{E[c(X) \cdot \pi(X) \cdot Var[Z|X] \cdot \tau(X)]}{E[c(X) \cdot \pi(X) \cdot Var[Z|X]]}$ and c(X) = 1 a.s.

Corollary 3.4 provides a direct argument for Angrist and Pischke (2009)'s assertion that the standard specification of IV recovers a convex combination of conditional LATEs. As noted previously, however, this statement is no longer true under weak monotonicity. If strong monotonicity holds,

then the weights in Corollary 3.4 may be more desirable than those in Angrist and Imbens (1995)'s specification. Indeed, a comparison of Corollary 3.4 and equation (8) shows that the standard specification, like Angrist and Imbens (1995)'s specification, overweights the effects in groups with large variances of Z but not, unlike the latter, in groups with strong first stages.⁸

Remark 3.3. Bond, White, and Walker (2007) discuss the interpretation of an overidentified and a just identified specification in randomized experiments with noncompliance in which the existence of defiers is completely ruled out. In this case, the standard specification of IV recovers the unconditional LATE parameter but the overidentified specification does not. This is a special case of the difference between Theorem 3.2 and Corollary 3.4 where Var[Z | X] is constant. However, Theorem 3.3 makes it clear that under weak monotonicity the standard specification no longer recovers the unconditional LATE parameter or even a convex combination of conditional LATEs.

Remark 3.4. Abadie (2003) shows that, under Assumptions IV, SM, and PS, the IV estimand is equivalent to the coefficient on D in the linear projection of Y on D and X among compliers. In other words, IV is analogous to ordinary least squares (OLS), with the exception of its focus on this latent group. Corollary 3.4 provides another argument that "IV is like OLS." Indeed, as shown by Angrist (1998), the only difference between OLS and ATE is due to the dependence of the OLS weights on the conditional variance of D. Similarly, as shown in Corollary 3.4, the only difference between IV and LATE (under Assumption SM) is due to the dependence of the IV weights on the conditional variance of Z. This analogy between OLS and IV is potentially problematic for IV given the results on OLS in Słoczyński (2020). I will return to this point in Section 4.

Remark 3.5. Kolesár (2013) concludes that under weak monotonicity the interpretation of linear IV and 2SLS estimands as a convex combination of conditional LATEs is generally correct, subject to some additional assumptions. Theorem 3.3 leads to a different conclusion for the case of the standard specification of IV, and may thus seem at odds with Kolesár (2013). However, there is no contradiction between these results. Rather, Kolesár (2013)'s additional requirement for positive weights is that the first stage postulated by the researcher is monotone in the true first stage (cf. Heckman and Vytlacil, 2005; Heckman, Urzua, and Vytlacil, 2006), and this condition necessarily fails, if there are defiers, in the common situation where the first-stage effects of *Z* on *D* are restricted to be homogeneous, that is, in the standard specification of IV.

⁸To be clear, both specifications attach a greater weight to conditional LATEs in groups with strong first stages, as required by equation (8). But Angrist and Imbens (1995)'s specification places even more weight on such conditional LATEs than is necessary to recover the unconditional LATE parameter.

⁹A similar point about models without additional covariates is made by Huntington-Klein (2020), who also revisits the link between the existence of defiers and negative weights in this context (cf. Imbens and Angrist, 1994; de Chaisemartin, 2017).

¹⁰To be precise, Abadie (2003)'s formulation of what I refer to as Assumption IV(iii) is slightly different but this is not consequential in the present context.

Remark 3.6. Kolesár (2013) and Evdokimov and Kolesár (2019) also consider a special case of this problem where the reduced-form and first-stage regressions are correctly specified. How does this assumption affect the interpretation of the IV estimand? As noted above, the standard specification of IV corresponds to reduced-form and first-stage regressions that limit the effects of Z on Y and D to be homogeneous. This is consistent with Assumption SM, and with $\pi(X)$ and $\tau(X)$ that do not depend on X. Thus, following Corollary 3.4, $\beta_{\text{IV}} = \tau_{\text{LATE}}$ because $\tau(x) = \tau_{\text{LATE}}$ for all covariate values. Still, these homogeneity assumptions will be implausible in many applications.

Remark 3.7. Lochner and Moretti (2015) show that under Assumption PS the unconditional IV estimand is equivalent to a weighted average of conditional IV estimands, with weights equal to the conditional covariance between the treatment and the instrument. This "descriptive" interpretation of the IV estimand is implicit in Theorem 3.3 and Corollary 3.4. Related results are also discussed by Kling (2001), Walters (2018), and Ishimaru (2021). Note, however, that none of these papers, including Lochner and Moretti (2015), uses the LATE framework for interpretation.

Remark 3.8. Hull (2018) and Borusyak and Hull (2021) recommend that researchers consider an alternative estimation method, namely the IV regression of Y on 1 and D, with Z - e(X) as the instrument for D. When the existence of defiers is completely ruled out, as also shown by Hull (2018) and Borusyak and Hull (2021), this estimator converges to a convex combination of conditional LATEs, with weights equal to the product of the conditional proportion of compliers and the conditional variance of Z. As shown in Corollary 3.4, when Assumption PS holds, the standard specification of IV recovers exactly the same parameter.

Remark 3.9. If we replace Assumptions WM and SM with a restriction on treatment effect heterogeneity, as discussed in Section 2.2 and Remark 3.2, the IV estimand will correspond to a weighted average of conditional ATEs, with weights equal to the product of the conditional first-stage slope coefficient and the conditional variance of Z. Unlike in Angrist and Imbens (1995)'s specification, some of these weights may be negative. To ensure positive weights, it is sufficient to additionally impose that there are more compliers than defiers (or more defiers than compliers) at all covariate values (cf. Mogstad and Wiswall, 2010).

3.3 Solutions

As discussed above, a consequence of Theorem 3.3 and Corollary 3.4 is that some of the IV weights may be negative under weak monotonicity but not under strong monotonicity. Thus, it is important to see that strong monotonicity has a testable implication, namely that $\omega(x)$, the conditional first-stage slope coefficient, is always nonnegative. Moreover, the IV weights are negative at a given value of covariates if and only if $\omega(x)$ is negative at this value. It follows that estimating the

proportion of the population with a negative weight is equivalent to estimating the proportion of the population with a negative first stage.

When all covariates are discrete and the model for covariates is saturated, as in Angrist and Imbens (1995)'s specification, nonparametric estimation of the sign of the first stage is straightforward. It is sufficient to regress D on X, separately in subsamples with Z=1 and Z=0, and examine the sign of the difference in fitted values from the two regressions. When some covariates are continuous, nonparametric estimation may be difficult. In a related context of randomized experiments with endogenous sample selection, Semenova (2020) suggests using a flexible logit model to estimate how the sign of the effect of treatment on selection varies with covariates. Practically speaking, this amounts to replacing a linear model with a logit model when estimating the conditional mean of D given X and Z.

If we conclude that some of the weights are negative, then strong monotonicity is violated and linear IV estimation is problematic. This is essentially a specification test. As an alternative to testing, we can develop a simple correction for this problem, which offers protection against negative weights. Define a new, "reordered" instrument as

$$Z_{R} = 1[\omega(X) > 0] \cdot Z + 1[\omega(X) < 0] \cdot (1 - Z). \tag{13}$$

This instrument is binary and takes the value 1 if either Z = 1 and $\omega(X) > 0$ or Z = 0 and $\omega(X) < 0$; it also takes the value 0 if either Z = 0 and $\omega(X) > 0$ or Z = 1 and $\omega(X) < 0$. It follows that Z_R takes the value 1 for this value of the original instrument that encourages treatment conditional on covariates and the value 0 otherwise.¹¹ When we construct the linear IV estimand using Z_R rather than Z, we obtain

$$\beta_{\text{RIV}} = \left[\left(\text{E} \left[Q_{\text{R}}' W \right] \right)^{-1} \text{E} \left[Q_{\text{R}}' Y \right] \right]_{1}, \tag{14}$$

where $Q_R = (Z_R, X)$ and, as before, W = (D, X). It turns out that using this alternative instrument would ensure that the weights on all conditional LATEs are positive under both strong and weak monotonicity. Also, under strong monotonicity, $Z_R = Z$ and $\beta_{RIV} = \beta_{IV}$.

Theorem 3.5 (Reordered IV). *Under Assumptions IV and SM or WM*, and additionally (i) with $X = (1, G_1, ..., G_{K-1})$ or (ii) with $E[Z_R \mid X] = X\alpha_R$,

$$\beta_{\text{RIV}} = \frac{\text{E}\left[\pi(X) \cdot \text{Var}\left[Z \mid X\right] \cdot \tau(X)\right]}{\text{E}\left[\pi(X) \cdot \text{Var}\left[Z \mid X\right]\right]}.$$

Proof. See Appendix A.

The new procedure that is implicit in Theorem 3.5, termed "reordered IV," shares the advantages of

¹¹In practice, $\omega(x)$ is unknown and needs to be estimated. I leave for future research a formal investigation into the influence of estimation of $\omega(x)$ on the properties of this procedure.

the usual application of IV, which is just identified and more robust to a weak instrument problem, and the overidentified specification of Angrist and Imbens (1995), which ensures that all weights are positive. When Z_R is used in a just identified specification, all weights are positive, too.¹²

4 Are the Weights Intuitive?

In this section I demonstrate that the IV weights continue to be problematic for interpretation even under strong monotonicity. The theoretical analysis so far makes it clear that the IV estimand in the standard specification is not necessarily a convex combination of conditional LATEs under weak monotonicity. Under strong monotonicity, on the other hand, the IV weights are guaranteed to be positive. In what follows, I will argue that, even in this optimistic scenario, we should not interpret the IV estimand as if it was somehow guaranteed to (approximately) correspond to the unconditional LATE parameter.

The analysis of this section also applies to "reordered IV," where strong monotonicity holds with respect to Z_R if weak monotonicity holds with respect to Z. In either case, the resulting estimand may be substantially different from the unconditional LATE parameter unless the groups with different values of the instrument (or reordered instrument) are roughly equal sized. As I am now ruling out the existence of defiers altogether (with respect to Z or Z_R), I will also refer to these two groups as "encouraged" and "not encouraged" to get treated. To simplify notation, Z will now be used to denote the (possibly reordered) instrument that satisfies strong monotonicity.

The starting point is to introduce an additional parameter, namely the local average treatment effect on the treated (LATT), previously discussed by Frölich and Lechner (2010), Hong and Nekipelov (2010), and Donald, Hsu, and Lieli (2014). We can define LATT as follows:

$$\tau_{\text{LATT}} = E[Y(1) - Y(0) \mid D(1) \neq D(0), D = 1]. \tag{15}$$

It is also useful to define the local average treatment effect on the untreated (LATU) as

$$\tau_{\text{LATU}} = E[Y(1) - Y(0) \mid D(1) \neq D(0), D = 0]. \tag{16}$$

Clearly, the unconditional LATE parameter is a convex combination of LATT and LATU; 13 that is,

$$\tau_{\text{LATE}} = P[D = 1 \mid D(1) \neq D(0)] \cdot \tau_{\text{LATT}} + P[D = 0 \mid D(1) \neq D(0)] \cdot \tau_{\text{LATU}}.$$
 (17)

¹²The idea of constructing new instruments in a way that produces "desirable" weights dates back at least to Heckman and Vytlacil (2005).

¹³It is also useful to note that under one-sided noncompliance LATT coincides with the average treatment effect on the treated (ATT). See, *e.g.*, Donald *et al.* (2014). In a setting with no additional covariates, LATE, LATT, and LATU are all equal.

Under Assumptions IV and SM, we can also represent LATT and LATU as

$$\tau_{\text{LATT}} = \mathbb{E}[Y(1) - Y(0) \mid D(1) > D(0), D = 1]$$

$$= \mathbb{E}[Y(1) - Y(0) \mid D(1) > D(0), Z = 1]$$

$$= \frac{\mathbb{E}[\pi(X) \cdot \tau(X) \mid Z = 1]}{\mathbb{E}[\pi(X) \mid Z = 1]}$$

$$= \frac{\mathbb{E}[e(X) \cdot \pi(X) \cdot \tau(X)]}{\mathbb{E}[e(X) \cdot \pi(X)]}$$
(18)

and

$$\tau_{\text{LATU}} = \mathbb{E}[Y(1) - Y(0) \mid D(1) > D(0), D = 0]$$

$$= \mathbb{E}[Y(1) - Y(0) \mid D(1) > D(0), Z = 0]$$

$$= \frac{\mathbb{E}[\pi(X) \cdot \tau(X) \mid Z = 0]}{\mathbb{E}[\pi(X) \mid Z = 0]}$$

$$= \frac{\mathbb{E}[(1 - e(X)) \cdot \pi(X) \cdot \tau(X)]}{\mathbb{E}[(1 - e(X)) \cdot \pi(X)]}.$$
(19)

The first equality in equations (18) and (19) follows from Assumption SM. The second equality uses the fact that all treated compliers are encouraged to get treated and all untreated compliers are not (call this "DZ equivalence"). The third and fourth equalities follow from Assumption IV, iterated expectations, and a little algebra. We can also use Assumption SM, DZ equivalence, and Bayes' rule to rewrite equation (17) as

$$\tau_{\text{LATE}} = \frac{\theta \cdot \pi_1}{\theta \cdot \pi_1 + (1 - \theta) \cdot \pi_0} \cdot \tau_{\text{LATT}} + \frac{(1 - \theta) \cdot \pi_0}{\theta \cdot \pi_1 + (1 - \theta) \cdot \pi_0} \cdot \tau_{\text{LATU}}, \tag{20}$$

where

$$\theta = P[Z = 1] \tag{21}$$

is the proportion of the population that is encouraged to get treated and

$$\pi_z = P[D(1) > D(0) \mid Z = z]$$
 (22)

is the proportion of compliers in the subpopulation with Z = z.

In what follows, I will develop two arguments to show that the IV weights in Corollary 3.4 continue to be problematic for interpretation. The starting point for my first argument is to observe that $\text{Var}[Z \mid X] = e(X) \cdot (1 - e(X))$. Then, note that $\text{Var}[Z \mid X] \approx e(X)$ if e(X) is close to zero and, similarly, $\text{Var}[Z \mid X] \approx 1 - e(X)$ if e(X) is close to one. These approximations are important because

the only difference between the IV estimand in Corollary 3.4 and the parameters in equations (18) and (19) is in their respective use of $Var[Z \mid X]$, e(X), and 1 - e(X) to reweight the product of $\pi(X)$ and $\tau(X)$. This observation implies that, when e(X) is close to zero or one for all covariate values, which also means that θ is close to zero or one, the IV estimand in Corollary 3.4 is similar to LATT or LATU, respectively. Perhaps surprisingly, when θ is close to zero (one) or, in other words, almost no (almost all) individuals are encouraged to get treated, the IV estimand is similar to the local average treatment effect on the treated (untreated). This is the opposite of what we want if our goal is to recover the unconditional LATE parameter, as represented in equation (20).

My second argument formalizes this discussion by demonstrating that under an additional assumption the IV estimand can be written as a convex combination of LATT and LATU, with weights that, compared with equation (20), are related to θ in the opposite direction. Namely, the greater the value of θ , the greater is the contribution of LATT to LATE and yet the smaller is the IV weight on LATT. The following assumption will be useful for establishing this result.

Assumption LN.

(i) (Reduced form)
$$E[Y \mid X, Z] = \delta_1 + \delta_2 Z + \delta_3 \cdot e(X) + \delta_4 Z \cdot e(X)$$
;

(ii) (First stage)
$$E[D \mid X, Z] = \eta_1 + \eta_2 Z + \eta_3 \cdot e(X) + \eta_4 Z \cdot e(X)$$
.

Assumption LN postulates that the true reduced-form and first-stage regressions are linear in e(X) conditional on Z. This assumption is fairly strong, although a similar restriction on potential outcomes under unconfoundedness, *i.e.* that they are linear in the propensity score, has been used by Rosenbaum and Rubin (1983) and Słoczyński (2020). The following result confirms that the IV estimand "reverses" the role of θ in the implicit weights on LATT and LATU.

Theorem 4.1. Under Assumptions IV, SM, PS, and LN,

$$\beta_{\text{IV}} = w_{\text{LATT}} \cdot \tau_{\text{LATT}} + w_{\text{LATU}} \cdot \tau_{\text{LATU}},$$

$$\textit{where } w_{\text{LATT}} = \frac{(1-\theta) \cdot \text{Var}[e(X)|Z=0] \cdot \pi_1}{\theta \cdot \text{Var}[e(X)|Z=1] \cdot \pi_0 + (1-\theta) \cdot \text{Var}[e(X)|Z=0] \cdot \pi_1} \textit{ and } w_{\text{LATU}} = \frac{\theta \cdot \text{Var}[e(X)|Z=1] \cdot \pi_0}{\theta \cdot \text{Var}[e(X)|Z=1] \cdot \pi_0 + (1-\theta) \cdot \text{Var}[e(X)|Z=0] \cdot \pi_1}.$$

Theorem 4.1 provides an alternative representation of the IV estimand under strong monotonicity. Unlike in Corollary 3.4, it now follows immediately that the IV weights are potentially problematic for interpretation. The first thing to note is that the weights are always positive and sum to

¹⁴This argument parallels a remark of Humphreys (2009) about the interpretation of the OLS estimand under unconfoundedness, which asserts that this parameter is similar to the average treatment effect on the treated (untreated) if the conditional probability of treatment is "small" ("large") for every value of covariates.

one. Then, however, it turns out that the weight on LATT is increasing in $\frac{\pi_1}{\pi_0}$, which is anticipated; decreasing in $\frac{\text{Var}[e(X)|Z=1]}{\text{Var}[e(X)|Z=0]}$, which I largely ignore for simplicity; and decreasing in θ , which is undesirable whenever LATE is our parameter of interest. Indeed, the greater the proportion of individuals that are encouraged to get treated, the greater *should be* our weight on LATT, *i.e.* the average effect for the treated compliers, but the lower *is* the IV weight on this parameter; see equation (20) and Theorem 4.1, respectively. Because $w_{\text{LATU}} = 1 - w_{\text{LATT}}$, the weight on LATU always changes in the opposite direction. ¹⁵

An implication of Theorem 4.1 is that we can express the difference between the IV estimand and the unconditional LATE parameter as a product of a particular measure of heterogeneity in conditional LATEs, *i.e.* the difference between LATT and LATU, and an additional parameter that is equal to the difference between the actual and the "desired" weight on LATT.

Corollary 4.2. *Under Assumptions IV, SM, PS, and LN,*

$$\beta_{\text{IV}} - \tau_{\text{LATE}} = \lambda \cdot (\tau_{\text{LATT}} - \tau_{\text{LATU}}),$$

where
$$\lambda = w_{\text{LATT}} - \frac{\theta \cdot \pi_1}{\theta \cdot \pi_1 + (1 - \theta) \cdot \pi_0}$$
.

The proof of Corollary 4.2 follows from simple algebra and is omitted. This result specifies the conditions under which the IV estimand recovers the unconditional LATE parameter. One possibility is that the local average treatment effects on the treated (LATT) and untreated (LATU) are identical. Another possibility is that the IV weights on LATT and LATU correspond to the "desired" weights in equation (20), which would imply that $\lambda = 0$. The following restriction, which requires that the conditional variance of e(X) is the same among the individuals that are encouraged and not encouraged to get treated, will allow us to simplify the formula for λ .

Assumption EV (Equality of variances). Var $[e(X) \mid Z = 1] = \text{Var}[e(X) \mid Z = 0]$.

Indeed, under Assumption EV, simple algebra shows that $\lambda = \frac{(1-2\theta) \cdot \pi_0 \pi_1}{(\theta \cdot \pi_0 + (1-\theta) \cdot \pi_1) \cdot (\theta \cdot \pi_1 + (1-\theta) \cdot \pi_0)}$. Clearly, the only case where the IV weights overlap with the "desired" weights, or $\lambda = 0$, occurs when the groups that are encouraged and not encouraged to get treated are equal sized, $\theta = 0.5$. The following result makes it clear that, under Assumption EV, the IV estimand recovers the unconditional LATE parameter if and only if $\theta = 0.5$ or LATT and LATU are identical.

Corollary 4.3. *Under Assumptions IV, SM, PS, LN, and EV,*

$$\beta_{\text{IV}} = \tau_{\text{LATE}}$$
 if and only if $\tau_{\text{LATT}} = \tau_{\text{LATU}}$ or $\theta = 0.5$.

¹⁵This result, and some of the subsequent discussion, parallels my earlier work on the interpretation of the OLS estimand under unconfoundedness (Słoczyński, 2020), which demonstrates that this parameter can be written as a convex combination of the average treatment effects on the treated (ATT) and untreated (ATU).

Corollary 4.3 shows that under certain assumptions the IV estimand can be interpreted as the unconditional LATE parameter only when either of two restrictive conditions is satisfied, $\theta = 0.5$ or $\tau_{\text{LATT}} = \tau_{\text{LATU}}$. Even if one or more of the assumptions in Corollary 4.3 are not exactly true, they may be approximately true, in which case the value of θ may provide a useful rule of thumb for the interpretation of the IV estimand. For example, when the groups with different values of the instrument are roughly equal sized, or $\theta \approx 0.5$, we may be willing to interpret the IV estimand as LATE, but not otherwise. The relevance of this suggestion will be illustrated empirically in the next section, together with my other theoretical results.

5 Empirical Application

A large literature, originated by Kane and Rouse (1993), Card (1995), and Rouse (1995), uses the distance to the nearest college as an instrument for educational attainment. In this section I illustrate my results with a replication of Card (1995). This study considers data drawn from the National Longitudinal Survey of Young Men (NLSYM), which sampled men aged 14–24 in 1966 and continued with follow-up surveys through 1981. In particular, Card (1995) focuses on a subsample of 3,010 individuals who were interviewed in 1976 and reported valid information on wage and education. His main endogenous variable of interest is years of schooling, which is instrumented by whether an individual grew up in the vicinity of a four-year college.

Card (1995)'s analysis was subsequently replicated by Kling (2001) and Kitagawa (2015), among others. What is particularly relevant for my application is that Kitagawa (2015) rejects the validity of Card (1995)'s instrument in a setting with no additional covariates but not when controlling for five binary variables: whether Black, whether lived in a metropolitan area (SMSA) in 1966 and 1976, and whether lived in the South in 1966 and 1976. In what follows, I will mostly focus on specifications that are saturated in these five covariates.

Similar to Kitagawa (2015), I also replace years of schooling with a binary treatment. While Kitagawa (2015) focuses on having at least sixteen years of schooling ("four-year college degree"), I define the treatment as strictly more than twelve years ("some college attendance"). The college proximity instrument is notably stronger for the treatment margin that I consider.

Table 1 reports baseline estimates of the effects of college attendance on log wages. At this point, I restrict my attention to the usual application of IV or, in other words, to just identified specifications with the college proximity instrument. Column 1 uses Card (1995)'s sample and

¹⁶Subsequent studies include Kling (2001), Cameron and Taber (2004), Carneiro, Heckman, and Vytlacil (2011), Eisenhauer, Heckman, and Vytlacil (2015), Nybom (2017), Mountjoy (2019), and many others.

Table 1: Effects of College Attendance in Just Identified Specifications

	$\hat{eta}_{ ext{IV}}$						
_	(1)	(2)	(3)	(4)			
College attendance	0.661**	0.575*	0.610*	0.570*			
	(0.294)	(0.308)	(0.354)	(0.343)			
Sample	Full	Full	Full	Restricted			
Covariates	Full	Discrete	Saturated	Saturated			
Robust <i>F</i>	12.46	8.97	7.27	7.48			
Observations	3,010	3,010	3,010	2,988			

Notes: The data are Card (1995)'s subsample of the National Longitudinal Survey of Young Men (NL-SYM). All estimates are based on a just identified specification in which college attendance is instrumented by whether an individual grew up in the vicinity of a four-year college. College attendance is defined as strictly more than twelve years of schooling. The dependent variable is log wages in 1976. "Full" set of covariates follows Card (1995) and includes experience, experience squared, nine regional indicators, and indicators for whether Black, whether lived in an SMSA in 1966 and 1976, and whether lived in the South in 1976. "Discrete" set of covariates follows Kitagawa (2015) and includes indicators for whether Black, whether lived in an SMSA in 1966 and 1976, and whether lived in the South in 1966 and 1976. "Saturated" set of covariates includes indicators for all possible combinations of values of covariates in the discrete set. "Full" sample follows Card (1995). "Restricted" sample discards covariate cells with fewer than five observations. Robust standard errors are in parentheses.

an extended set of covariates from many of his specifications. Column 2 considers a restricted set of five covariates from Kitagawa (2015). Column 3 creates a saturated specification based on these covariates, with $2^5 = 32$ separate subgroups (cells). Column 4 uses the same specification but additionally discards covariate cells with fewer than five observations. This sample restriction, which will enable certain within-cell calculations later on, decreases the number of covariates from 32 to 20 and the sample size from 3,010 to 2,988.¹⁷

The estimates in Table 1 are all very similar and suggest that college attendance increases wages by 57–66 log points. Such an effect is implausibly large. Recent work by Hoekstra (2009), Zimmerman (2014), and Smith *et al.* (2020) concludes that some college attendance yields earnings gains of about 20%. In what follows, I will demonstrate that the difference between these estimates can be fully explained by the failure of strong monotonicity and the presence of negative weights in the baseline estimates.

It is important to see that the saturated specifications in Table 1 make it easy to nonparametrically estimate the sign of the conditional first-stage slope coefficient, $\omega(x)$. See also Section 3.3 for further discussion. Indeed, college attendance can be regressed on the full set of cell indicators,

^{*}Statistically significant at the 10% level; **at the 5% level; ***at the 1% level.

¹⁷In particular, in the original set of 32 covariate cells, there are 4 cells with zero observations, 1 cell with one observation, 3 cells with two observations, 1 cell with three observations, and 3 cells with four observations.

Table 2: Negative First Stage

	(1)	(2)
$\hat{P}[\omega(X) < 0]$	0.178**	0.177**
	(0.086)	(0.087)
Sample	Full	Restricted
Covariates	Saturated	Saturated
Observations	3,010	2,988

Notes: The data are Card (1995)'s subsample of the National Longitudinal Survey of Young Men (NLSYM). The table presents nonparametric estimates of the proportion of the population for which college attendance is negatively affected by the college proximity instrument. College attendance is defined as strictly more than twelve years of schooling. To estimate $\hat{P}[\omega(X) < 0]$, I regress college attendance on the full set of cell indicators, separately for individuals who did and did not grow up in the vicinity of a four-year college. Then, $\hat{P}[\omega(X) < 0]$ is equal to the proportion of observations for which the difference in fitted values from the two regressions is negative. "Saturated" set of covariates includes indicators for all possible combinations of values of covariates in Kitagawa (2015)'s specification, which includes indicators for whether Black, whether lived in an SMSA in 1966 and 1976, and whether lived in the South in 1966 and 1976. "Full" sample follows Card (1995). "Restricted" sample discards covariate cells with fewer than five observations. Bootstrap standard errors (based on 100,000 replications) are in parentheses.

*Statistically significant at the 10% level; **at the 5% level; ***at the 1% level.

separately for individuals who did and did not grow up in the vicinity of a four-year college. The difference in fitted values from the two regressions constitutes a nonparametric estimate of $\omega(x)$.

Table 2 reports that the first stage is negative for about 18% of observations in Card (1995)'s data, regardless of whether we use the full sample or discard the smallest covariate cells. To examine whether this proportion is statistically different from zero, I bootstrap the whole procedure and conclude that the sign of the first stage is indeed negative for some observations (p < 0.042). This implies that strong monotonicity cannot possibly hold and some of the IV weights must be negative. The question is whether the estimates in Table 1 are driven by these negative weights.

Table 3 shows that correcting for negative weights reduces the estimated effects of college attendance to between one third and one half of the original estimates. Column 1 restates the restricted-sample estimate from Table 1, $\hat{\beta}_{IV}$. All the remaining estimates also use the restricted sample as well as the saturated model for covariates. Column 2 reports $\hat{\beta}_{2SLS}$, that is, the estimate from the overidentified specification of Angrist and Imbens (1995). The advantage of this specification is that it is guaranteed to produce a convex combination of conditional IV estimates. The

Table 3: Correcting for Negative Weights

	$\hat{eta}_{ ext{IV}}$	$\hat{eta}_{ ext{2SLS}}$	$\hat{eta}_{ ext{RIV}}$	$\hat{ au}_{ ext{LATE}}$	
	(1)	(2)	(3)	(4)	
College attendance	0.570*	0.156	0.289	0.192	
	(0.343)	(0.138)	(0.196)	(0.174)	
Sample	Restricted	Restricted	Restricted	Restricted	
Covariates	Saturated	Saturated	Saturated	Saturated	
Robust F	7.48	3.11	24.21	N/A	
Observations	2,988	2,988	2,988	2,988	

Notes: The data are Card (1995)'s subsample of the National Longitudinal Survey of Young Men (NL-SYM). The table presents various estimates of the effect of college attendance on log wages in 1976. College attendance is defined as strictly more than twelve years of schooling. $\hat{\beta}_{IV}$ is based on a just identified specification in which college attendance is instrumented by whether an individual grew up in the vicinity of a four-year college; see equation (2) and Theorem 3.3 for the corresponding estimand. $\hat{\beta}_{2SLS}$ is based on the overidentified specification of Angrist and Imbens (1995) in which college attendance is instrumented by the full set of interactions between the original instrument and covariates; see equation (3) and Theorem 3.2 for the corresponding estimand. $\hat{\beta}_{RIV}$ is based on a just identified specification in which college attendance is instrumented by the "reordered" instrument that takes the value 1 for this value of the original instrument that is estimated to encourage treatment conditional on covariates and the value 0 otherwise; see equation (14) and Theorem 3.5 for the corresponding estimand. $\hat{\tau}_{LATE}$ is a nonparametric estimate of the unconditional LATE parameter (under Assumptions IV and WM), which is constructed as a weighted average of conditional IV estimates, with weights equal to the absolute values of the conditional first-stage slope coefficients; see equation (8) for the corresponding estimand. "Saturated" set of covariates includes indicators for all possible combinations of values of covariates in Kitagawa (2015)'s specification, which includes indicators for whether Black, whether lived in an SMSA in 1966 and 1976, and whether lived in the South in 1966 and 1976. "Restricted" sample discards covariate cells with fewer than five observations. Robust standard errors ($\hat{\beta}_{IV}$ and $\hat{\beta}_{2SLS}$) and bootstrap standard errors ($\hat{\beta}_{RIV}$ and $\hat{\tau}_{LATE}$; based on 100,000 replications) are in parentheses.

disadvantage is that the additional moment conditions result in a very low value of the F statistic. Column 3 reports $\hat{\beta}_{RIV}$, that is, the estimate from the "reordered IV" procedure of Section 3.3. Using this method ensures that all weights are positive, too, but the F statistic is now much larger, as the procedure remains just identified. Column 4 reports $\hat{\tau}_{LATE}$, that is, a nonparametric estimate of the unconditional LATE parameter. Because the model for covariates is saturated, this estimate is easy to obtain as a weighted average of conditional IV estimates with weights equal to the absolute values of the corresponding first-stage slope coefficients (cf. equation (8) and Lemma 2.1). Interestingly, all of the estimates in columns 2–4, which never exceed 29 log points, are within the

^{*}Statistically significant at the 10% level; **at the 5% level; ***at the 1% level.

 $^{^{18}}$ The F statistic is also much larger than in the original just identified specification. The intuition for why this is the case is straightforward. Because strong monotonicity is violated, compliers and defiers cancel each other out in the original first-stage procedures. "Reordered IV" amounts to rearranging the values of the instrument in those covariate cells in which the first stage is initially negative. It follows that, in the new procedure, all conditional first-stage slope coefficients "work" in the same direction (cf. Dahl *et al.*, 2019).

Table 4: Estimated Weights

						^			^				
X_1	X_2	X_3	X_4	X_5	N	$\hat{\mathbf{P}}\left[X=x\right]$	$Var\left[Z\mid X=x\right]$	$\hat{\omega}(x)$	$\hat{\beta}(x)$	$\hat{w}_{\mathrm{IV}}(x)$	$\hat{w}_{2SLS}(x)$	$\hat{w}_{\mathrm{RIV}}(x)$	$\hat{w}_{\text{LATE}}(x)$
0	0	0	0	0	284	0.095	0.243	-0.081	-0.003	-0.1961	0.0494	0.1098	0.0648
0	0	0	1	1	219	0.073	0.227	0.030	0.536	0.0525	0.0049	0.0294	0.0186
0	0	1	1	1	210	0.070	0.200	0.005	4.554	0.0080	0.0001	0.0045	0.0032
0	1	0	0	0	122	0.041	0.249	0.179	0.586	0.1904	0.1058	0.1066	0.0614
0	1	0	0	1	21	0.007	0.204	-0.067	-3.490	-0.0100	0.0021	0.0056	0.0039
0	1	0	1	0	16	0.005	0.234	0.367	-0.550	0.0480	0.0545	0.0269	0.0164
0	1	0	1	1	71	0.024	0.202	0.262	0.615	0.1314	0.1065	0.0736	0.0521
0	1	1	1	0	53	0.018	0.224	-0.067	0.162	-0.0277	0.0057	0.0155	0.0099
0	1	1	1	1	49	0.016	0.250	0.227	0.629	0.0970	0.0680	0.0543	0.0311
1	0	0	0	0	94	0.031	0.134	-0.046	-0.568	-0.0204	0.0029	0.0114	0.0122
1	0	0	1	0	8	0.003	0.188	-0.500	-0.402	-0.0262	0.0406	0.0147	0.0112
1	0	0	1	1	26	0.009	0.226	-0.301	-0.051	-0.0618	0.0575	0.0346	0.0219
1	1	0	0	0	7	0.002	0.204	-0.600	0.035	-0.0299	0.0556	0.0168	0.0118
1	1	0	0	0	1,029	0.344	0.101	0.186	0.038	0.6755	0.3899	0.3782	0.5376
1	1	0	0	1	61	0.020	0.137	0.124	-0.978	0.0361	0.0138	0.0202	0.0211
1	1	0	1	0	35	0.012	0.078	-0.219	1.348	-0.0210	0.0142	0.0117	0.0215
1	1	0	1	1	311	0.104	0.215	0.028	4.243	0.0643	0.0055	0.0360	0.0240
1	1	1	0	0	130	0.044	0.064	0.133	-0.379	0.0390	0.0161	0.0218	0.0485
1	1	1	1	0	16	0.005	0.109	0.071	-1.189	0.0044	0.0010	0.0024	0.0032
1	1	1	1	1	226	0.076	0.146	0.041	0.184	0.0467	0.0059	0.0261	0.0257

Notes: The data are Card (1995)'s subsample of the National Longitudinal Survey of Young Men (NLSYM). The table presents various within-cell estimates that correspond to the sample and covariate specification in Table 3. The dependent variable is log wages in 1976. The treatment variable is college attendance, which is defined as strictly more than twelve years of schooling. College attendance is instrumented by whether an individual grew up in the vicinity of a four-year college. Values of X_1 , X_2 , X_3 , X_4 , and X_5 define the respective covariate cells, where X_1 is an indicator variable for whether an individual lived in an SMSA in 1966, X_2 is an indicator variable for whether an individual lived in the South in 1976, X_3 is an indicator variable for whether an individual lived in the South in 1966, and X_5 is an indicator variable for whether an individual lived in the South in 1976. N is the number of observations in a given cell. $\hat{P}[X=x]$ is the proportion of observations in a given cell. \hat{V} is the conditional variance of the college proximity instrument. $\hat{\omega}(x)$ is the estimated conditional first-stage slope coefficient. $\hat{\beta}(x)$ is the conditional IV estimate. $\hat{w}_{\text{IV}}(x)$ is the weight of a given cell in $\hat{\beta}_{\text{IV}}$. $\hat{w}_{\text{2SLS}}(x)$ is the weight of a given cell in $\hat{\beta}_{\text{RIV}}$, $\hat{w}_{\text{LATE}}(x)$ is the weight of a given cell in $\hat{\tau}_{\text{LATE}}$. Each of $\hat{\beta}_{\text{IV}}$, $\hat{\beta}_{\text{2SLS}}$, $\hat{\beta}_{\text{RIV}}$, and $\hat{\tau}_{\text{LATE}}$, as reported in Table 3, can be obtained as the dot product of $\hat{\beta}(x)$ and the respective weights.

range of plausible results from the recent literature (see, *e.g.*, Hoekstra, 2009; Zimmerman, 2014; Smith *et al.*, 2020). The estimate of the unconditional LATE parameter is 19 log points, that is, about one third of the baseline IV estimate.

It is important to note that the estimates in columns 2–4 of Table 3 should be preferred to that in column 1 (and those in Table 1) regardless of whether we believe that weak monotonicity is plausible or not. What this assumption gives us is a straightforward interpretation of our estimates. But even if it were to be violated, it would still be the case that $\hat{\beta}_{IV}$, $\hat{\beta}_{2SLS}$, $\hat{\beta}_{RIV}$, and $\hat{\tau}_{LATE}$ are all weighted averages of the same conditional IV estimates. (Without weak monotonicity, these conditional estimates do not correspond to conditional LATEs. Also, $\hat{\tau}_{LATE}$ is no longer an estimate

Table 5: Decomposition of $\hat{\beta}_{RIV}$

	(1)		(2)					
Panel A. Original estimate and diagnostics								
$\hat{eta}_{ ext{RIV}}$	0.289							
	(0.196)							
$\hat{ heta}$	0.667							
$\hat{\lambda}$	-0.196							
Panel B. Decompos	ition							
$\hat{ au}_{ ext{LATT}}$	0.296	$\hat{ au}_{ ext{LATU}}$	0.280					
	(0.188)		(0.394)					
$\hat{w}_{ ext{LATT}}$	0.568	$\hat{w}_{ ext{LATU}}$	0.432					
$\hat{\pi}_1$	0.134	$\hat{\pi}_0$	0.083					
$\widehat{\operatorname{Var}}\left[\widehat{e}(X) \mid Z=0\right]$	0.059	$\widehat{\operatorname{Var}}\left[\widehat{e}(X) \mid Z=1\right]$	0.036					

Notes: The data are Card (1995)'s subsample of the National Longitudinal Survey of Young Men (NLSYM). The sample and the covariate specification are as in Table 3. The dependent variable is log wages in 1976. The treatment variable is college attendance, which is defined as strictly more than twelve years of schooling. College attendance is instrumented by the "reordered" instrument that takes the value 1 for this value of the original instrument that is estimated to encourage treatment conditional on covariates and the value 0 otherwise. The original instrument is an indicator for whether an individual grew up in the vicinity of a four-year college. $\hat{\beta}_{RIV}$ is the "reordered" IV estimate. $\hat{\theta}$ is the estimated proportion of individuals that are encouraged to get treated. The remaining estimates are the sample analogues of the parameters in Theorem 4.1 and Corollary 4.2. Bootstrap standard errors (based on 100,000 replications) are in parentheses.

of the unconditional LATE parameter.) Thus, what is essential is that, unlike in the case of $\hat{\beta}_{IV}$, the weights underlying $\hat{\beta}_{2SLS}$, $\hat{\beta}_{RIV}$, and $\hat{\tau}_{LATE}$ are all positive. Table 4 concludes this analysis by reporting, separately for each covariate cell, the number and proportion of observations, the conditional variance of college proximity, the conditional first-stage slope coefficient, the conditional IV estimate, and the resulting weights underlying $\hat{\beta}_{IV}$, $\hat{\beta}_{2SLS}$, $\hat{\beta}_{RIV}$, and $\hat{\tau}_{LATE}$. Each of these estimates, as reported in Table 3, can be obtained as the dot product of the conditional IV estimates and the respective weights, as reported in Table 4.

In the remainder of this section, I offer a more detailed discussion of the "reordered IV" estimate, $\hat{\beta}_{RIV}$, as applied to Card (1995)'s data. In particular, I illustrate my theoretical results of Section 4, which demonstrate that the IV weights on conditional LATEs are often not intuitive even if they are, in fact, positive. For simplicity, I generally ignore, except for inference, that Z_R is based on an estimated first stage and differs from Z, and use the notation of Section 4 in most cases.

Table 5 reports sample analogues of the parameters in Theorem 4.1 and Corollary 4.2. It turns out that $\hat{\theta}$, the estimated proportion of individuals that are encouraged to get treated, is 0.667. Consequently, we expect IV to overweight the effect on the untreated compliers. Indeed, the

^{*}Statistically significant at the 10% level; **at the 5% level; ***at the 1% level.




Figure 1: Estimated Bias of $\hat{\beta}_{RIV}$

Notes: The data are Card (1995)'s subsample of the National Longitudinal Survey of Young Men (NLSYM). The sample and the covariate specification are as in Table 3. The dependent variable is log wages in 1976. The treatment variable is college attendance, which is defined as strictly more than twelve years of schooling. College attendance is instrumented by the "reordered" instrument that takes the value 1 for this value of the original instrument that is estimated to encourage treatment conditional on covariates and the value 0 otherwise. The original instrument is an indicator for whether an individual grew up in the vicinity of a four-year college. The vertical axis represents sample analogues of $\frac{\beta_{\text{IV}} - \tau_{\text{LATE}}}{\tau_{\text{LATT}} - \tau_{\text{LATU}}}$, where β_{IV} is replaced with the "reordered" IV estimate, $\hat{\beta}_{\text{RIV}}$, and τ_{LATE} , τ_{LATT} , and τ_{LATU} are estimated nonparametrically. The horizontal axis represents the implied values of θ , that is, the proportion of individuals that are encouraged to get treated. All estimates are obtained using a weighted estimation procedure, with weights of 1 for individuals that are encouraged to get treated and weights of w for individuals that are not encouraged to get treated. The variation in w results in the variation that is represented in this figure.

0.5

0.4

0.1

0

0.2

0.3

0.7

0.8

0.9

0.6

estimated weight on LATT is 0.568 while its "desired" weight is substantially larger, and equal to $\frac{\hat{\theta} \cdot \hat{\pi}_1}{\hat{\theta} \cdot \hat{\pi}_1 + (1 - \hat{\theta}) \cdot \hat{\pi}_0} = \hat{w}_{LATT} - \hat{\lambda} = 0.764$. At the same time, we could have expected, based on the values of $\hat{\theta}$, $\hat{\pi}_1$, and $\hat{\pi}_0$, that the estimated weight on LATT might be even lower than 0.568.¹⁹ However, the effect of a large value of $\hat{\theta}$, which decreases the weight on LATT, is partially offset by the fact that the variance of the instrument propensity score is much larger in the subsample

¹⁹This is because $w_{\text{LATT}} = \frac{(1-\theta)\cdot\pi_1}{\theta\cdot\pi_0 + (1-\theta)\cdot\pi_1}$ under Assumption EV, which would then correspond to $\hat{w}_{\text{LATT}} = \frac{(1-\hat{\theta})\cdot\hat{\pi}_1}{\hat{\theta}\cdot\hat{\pi}_0 + (1-\hat{\theta})\cdot\hat{\pi}_1} = 0.446$.

that is not encouraged to get treated, which increases the weight on LATT. In any case, $\hat{\tau}_{LATT}$ and $\hat{\tau}_{LATU}$ are also very similar in this application, which makes the counterintuitive behavior of the IV weights somewhat less consequential.

The discussion so far also makes it clear that Assumption EV is likely violated in this empirical application, and this could undermine the rule of thumb based on Corollary 4.3, that is, that the IV estimand can be interpreted as the unconditional LATE parameter when the groups with different values of the instrument are roughly equal sized. To study this problem, I perform the following analysis. To begin with, observe that λ , the diagnostic in Corollary 4.2, can also be written as $\lambda = \frac{\beta_{\text{IV}} - \tau_{\text{LATE}}}{\tau_{\text{LATT}}}$, where τ_{LATE} , τ_{LATT} , and τ_{LATU} additionally rely on Assumptions PS and LN. Clearly, this is just the asymptotic bias of IV that is normalized by a measure of heterogeneity in conditional LATEs, *i.e.* the difference between τ_{LATT} and τ_{LATU} . Under Assumption EV, Corollary 4.3 states that there is zero asymptotic bias if and only if $\tau_{\text{LATT}} = \tau_{\text{LATU}}$ or $\theta = 0.5$.

But what if some of the assumptions above are indeed violated? To see this, I estimate τ_{LATE} , τ_{LATT} , and τ_{LATU} nonparametrically, and use these estimates to construct sample analogues of $\frac{\beta_{\text{IV}}-\tau_{\text{LATE}}}{\tau_{\text{LATT}}-\tau_{\text{LATU}}}$, where none of the additional assumptions in Section 4 need to hold. I also repeat this procedure multiple times, reestimating the (reordered) IV estimand, too, and using weights of 1 for individuals that are encouraged to get treated and weights of w for individuals that are not encouraged to get treated. As I vary the value of w, I am able to manipulate the implied value of w without affecting other relevant features of the data-generating process.

Figure 1 shows that the rule of thumb based on Corollary 4.3 is strikingly accurate in this application. The estimated bias is clearly dependent on the proportion of individuals that are encouraged to get treated. Indeed, the bias is approximately zero when the implied value of θ is about 0.445, which is similar to the rule-of-thumb value of 0.5. The bias is also increasing in the distance between the implied value of θ and 0.445, approaching 100% of the difference between $\hat{\tau}_{\text{LATT}}$ and $\hat{\tau}_{\text{LATU}}$ when almost no or almost all individuals are encouraged to get treated.

6 Conclusion

In this paper I study the interpretation of linear IV and 2SLS estimands when both the endogenous treatment and the instrument are binary, and when additional covariates are required for identification. I follow the LATE framework of Imbens and Angrist (1994) and Angrist *et al.* (1996), and conclude that the common practice of interpreting linear IV and 2SLS estimands as a convex combination of conditional LATEs, or even as an "overall" (unconditional) LATE, is substantially more problematic than previously thought. For example, Kolesár (2013) concludes that the weights on all conditional LATEs are guaranteed to be positive, subject to some additional assumptions about the first stage, even when there are compliers but no defiers at some covariate values and defiers

but no compliers elsewhere. In this paper I demonstrate that, under this weaker version of monotonicity, Kolesár (2013)'s assumptions about the first stage are not satisfied in the usual application of IV that limits the effects of the instrument in the reduced-form and first-stage regressions to be homogeneous. Consequently, some of the IV weights will be negative and the IV estimand may no longer be interpretable as a causal effect; this parameter may turn out to be negative (positive) even if treatment effects are positive (negative) for everyone in the population.

There are several lessons to be learned from my theoretical results. Empirical researchers with a preference for linear IV/2SLS may choose one of three paths to continue interpreting their estimands as a convex combination of conditional LATEs. One is to strengthen Kolesár (2013)'s assumption of weak monotonicity and require that there are no defiers at any combination of covariate values. This path is viable if the conditional first-stage slope coefficient is nonnegative at all covariate values, which can be estimated. Another path is to account for possible heterogeneity in the reduced-form and first-stage regressions, as in the overidentified specification of Angrist and Imbens (1995). Yet another is to use a new procedure, termed "reordered IV," that I also develop in this paper. Unfortunately, none of these solutions guarantees that the resulting estimand will necessarily be similar to the unconditional LATE parameter. If this is a concern, and I believe it should be, then my results also suggest that we may be able to claim similarity between the IV estimand and the unconditional LATE parameter when the groups with different values of the instrument (or reordered instrument) are approximately equal sized.

If none of these solutions is appealing in a specific empirical context, it may be reasonable to give up on linear IV and 2SLS altogether. There are many alternative estimators of the unconditional LATE parameter that are available under strong monotonicity (see, *e.g.*, Abadie, 2003; Frölich, 2007). Under weak monotonicity, and when all covariates are discrete, it is straightforward to construct an estimator of this parameter by estimating all conditional LATEs and reweighting them using the absolute values of the estimated conditional first-stage slope coefficients. Future work should consider a formal treatment of this approach and its extension to the case with continuous covariates.²⁰

Appendix A Proofs

Proof of Theorem 3.3. Let R and T be generic notation for two random variables, where T is binary and R is arbitrarily discrete or continuous. The following lemma, due to Angrist (1998) and Aronow and Samii (2016), will be useful for what follows.

²⁰It should also be possible to estimate the unconditional LATE parameter under weak monotonicity using the toolkit of Mogstad, Santos, and Torgovitsky (2018).

Lemma A.1 (Angrist, 1998; Aronow and Samii, 2016). Suppose that $X = (1, G_1, ..., G_{K-1})$ or that $E[T \mid X]$ is linear in X. Then, ξ , the coefficient on T in the linear projection of R on T and X can be written as

$$\xi = \frac{\mathrm{E}\left[\mathrm{Var}\left[T\mid X\right]\cdot\xi(X)\right]}{\mathrm{E}\left[\mathrm{Var}\left[T\mid X\right]\right]},$$

where
$$\xi(X) = E[R \mid T = 1, X] - E[R \mid T = 0, X]$$
.

Recall that β_{IV} is equal to the ratio of the reduced-form and first-stage coefficients on Z. It follows that we can apply Lemma A.1 separately to these two coefficients, and thereby obtain the following expression for the estimand of interest:

$$\beta_{\text{IV}} = \frac{\frac{\mathbb{E}\left[\text{Var}[Z|X] \cdot \phi(X)\right]}{\mathbb{E}\left[\text{Var}[Z|X]\right]}}{\frac{\mathbb{E}\left[\text{Var}[Z|X] \cdot \omega(X)\right]}{\mathbb{E}\left[\text{Var}[Z|X]\right]}},$$
(23)

where

$$\phi(x) = E[Y \mid Z = 1, X = x] - E[Y \mid Z = 0, X = x]$$
(24)

is the conditional reduced-form slope coefficient and $\omega(x)$ is as defined in equation (5). Upon rearrangement, we obtain

$$\beta_{\text{IV}} = \frac{\text{E}\left[\text{Var}\left[Z \mid X\right] \cdot \phi(X)\right]}{\text{E}\left[\text{Var}\left[Z \mid X\right] \cdot \omega(X)\right]}$$

$$= \frac{\text{E}\left[\text{Var}\left[Z \mid X\right] \cdot \omega(X) \cdot \beta(X)\right]}{\text{E}\left[\text{Var}\left[Z \mid X\right] \cdot \omega(X)\right]},$$
(25)

where the second equality uses the definition of $\beta(x)$ in equation (6). See also Walters (2018) for a similar argument. Finally, we know from Lemma 2.1 that $\beta(x) = \tau(x)$ and $\omega(x) = c(x) \cdot \pi(x)$ under Assumptions IV and WM. This completes the proof because β_{IV} can now be written as

$$\beta_{\text{IV}} = \frac{\text{E}\left[c(X) \cdot \pi(X) \cdot \text{Var}\left[Z \mid X\right] \cdot \tau(X)\right]}{\text{E}\left[c(X) \cdot \pi(X) \cdot \text{Var}\left[Z \mid X\right]\right]}.$$
 (26)

Proof of Theorem 3.5. The restriction that $X = (1, G_1, \dots, G_{K-1})$ or the conditional mean of the instrument is linear in X underlies the proof of Theorem 3.3, including equation (25). Under this restriction, we can use equation (25) to write

$$\beta_{\text{RIV}} = \frac{\text{E}\left[\text{Var}\left[Z_{\text{R}} \mid X\right] \cdot \omega_{\text{R}}(X) \cdot \beta_{\text{R}}(X)\right]}{\text{E}\left[\text{Var}\left[Z_{\text{P}} \mid X\right] \cdot \omega_{\text{P}}(X)\right]},\tag{27}$$

where

$$\omega_{R}(x) = E[D \mid Z_{R} = 1, X = x] - E[D \mid Z_{R} = 0, X = x]$$
 (28)

and

$$\beta_{R}(x) = \frac{\phi_{R}(x)}{\omega_{R}(x)},\tag{29}$$

where

$$\phi_{R}(x) = E[Y \mid Z_{R} = 1, X = x] - E[Y \mid Z_{R} = 0, X = x].$$
(30)

Then, it is important to see that $\omega_R(x) = \omega(x)$ and $\phi_R(x) = \phi(x)$ if $\omega(x) > 0$, $\omega_R(x) = -\omega(x)$ and $\phi_R(x) = -\phi(x)$ if $\omega(x) < 0$, and consequently $\beta_R(x) = \beta(x)$ regardless of the sign of $\omega(x)$. We can also write $\omega_R(x) = c(x) \cdot \omega(x)$, $\phi_R(x) = c(x) \cdot \phi(x)$, and $\text{Var}[Z_R \mid X = x] = \text{Var}[Z \mid X = x]$ regardless of the sign of $\omega(x)$. It follows that

$$\beta_{\text{RIV}} = \frac{\text{E}\left[\text{Var}\left[Z \mid X\right] \cdot c(X) \cdot \omega(X) \cdot \beta(X)\right]}{\text{E}\left[\text{Var}\left[Z \mid X\right] \cdot c(X) \cdot \omega(X)\right]}.$$
(31)

To complete this proof, we will separately consider two sets of assumptions. First, under Assumptions IV and SM, we know from Lemma 2.1 that $\beta(x) = \tau(x)$ and $\omega(x) = \pi(x)$. Also, c(x) = 1. Thus, it follows that

$$\beta_{\text{RIV}} = \frac{\text{E}\left[\text{Var}\left[Z \mid X\right] \cdot \pi(X) \cdot \tau(X)\right]}{\text{E}\left[\text{Var}\left[Z \mid X\right] \cdot \pi(X)\right]}.$$
 (32)

Second, under Assumptions IV and WM, we know from Lemma 2.1 that $\beta(x) = \tau(x)$ and $\omega(x) = c(x) \cdot \pi(x)$. Also, $[c(x)]^2 = 1$ because $c(x) \in \{-1, 1\}$. Thus, it follows that

$$\beta_{RIV} = \frac{E\left[\operatorname{Var}\left[Z \mid X\right] \cdot \left[c(X)\right]^{2} \cdot \pi(X) \cdot \tau(X)\right]}{E\left[\operatorname{Var}\left[Z \mid X\right] \cdot \left[c(X)\right]^{2} \cdot \pi(X)\right]}$$

$$= \frac{E\left[\operatorname{Var}\left[Z \mid X\right] \cdot \pi(X) \cdot \tau(X)\right]}{E\left[\operatorname{Var}\left[Z \mid X\right] \cdot \pi(X)\right]}.$$
(33)

This completes the proof because $\beta_{RIV} = \frac{E[\pi(X) \cdot Var[Z|X] \cdot \tau(X)]}{E[\pi(X) \cdot Var[Z|X]]}$ under Assumptions IV and SM or WM.

Proof of Theorem 4.1. Let us use the same notation as in the proof of Theorem 3.3, with R and T being generic notation for two random variables, where T is binary and R is arbitrarily discrete or continuous. If $L[\cdot | \cdot]$ denotes the linear projection, let p(X) denote the best linear approximation to the "propensity score" for T; that is,

$$p(X) = L[T \mid X] = X\rho, \tag{34}$$

with X being completely general and not necessarily consisting only of group indicators. We also need two linear projections of R on 1 and p(X), separately for T = 1 and T = 0; that is,

$$L[R \mid 1, p(X), T = t] = \iota_t + \zeta_t \cdot p(X). \tag{35}$$

The following lemma, due to Słoczyński (2020), will be useful for what follows.

Lemma A.2 (Słoczyński, 2020). The coefficient on T in the linear projection of R on T and X, denoted by ξ , can be written as

$$\xi = w_1 \cdot ((\iota_1 - \iota_0) + (\zeta_1 - \zeta_0) \cdot E[p(X) \mid T = 1])$$

$$+ w_0 \cdot ((\iota_1 - \iota_0) + (\zeta_1 - \zeta_0) \cdot E[p(X) \mid T = 0]),$$

$$where \ w_1 = \frac{\Pr[T=0] \cdot \text{Var} \left[p(X) | T=0 \right]}{\Pr[T=1] \cdot \text{Var} \left[p(X) | T=1 \right] + \Pr[T=0] \cdot \text{Var} \left[p(X) | T=0 \right]} \ and \ w_0 = \frac{\Pr[T=1] \cdot \text{Var} \left[p(X) | T=1 \right]}{\Pr[T=1] \cdot \text{Var} \left[p(X) | T=1 \right] + \Pr[T=0] \cdot \text{Var} \left[p(X) | T=0 \right]}.$$

Again, we can use the fact that β_{IV} is equal to the ratio of the reduced-form and first-stage coefficients on Z, and apply Lemma A.2 separately to these coefficients. Thus, Y will play the role of R in the reduced-form regression, D will play the role of R in the first-stage regression, and Z will play the role of T in both regressions. Additionally, under Assumption PS, equation (34) corresponds to the true instrument propensity score and, under Assumption LN, equation (35) represents the true reduced-form and first-stage regressions. It follows from Lemma A.2 that under these assumptions the reduced-form and first-stage coefficients on Z are equal to a convex combination of the average causal effects of Z on Y and D in the subpopulations with Z=1 and Z=0, with weights equal to $w_1^* = \frac{(1-\theta)\cdot \text{Var}[e(X)|Z=0]}{\theta\cdot \text{Var}[e(X)|Z=1] + (1-\theta)\cdot \text{Var}[e(X)|Z=0]}$, respectively. Indeed,

$$\beta_{\text{IV}} = \frac{w_{1}^{*} \cdot \mathbb{E}\left[Y(D(1)) - Y(D(0)) \mid Z = 1\right] + w_{0}^{*} \cdot \mathbb{E}\left[Y(D(1)) - Y(D(0)) \mid Z = 0\right]}{w_{1}^{*} \cdot \pi_{1} + w_{0}^{*} \cdot \pi_{0}}$$

$$= \frac{w_{1}^{*} \cdot \pi_{1} \cdot \tau_{\text{LATT}} + w_{0}^{*} \cdot \pi_{0} \cdot \tau_{\text{LATU}}}{w_{1}^{*} \cdot \pi_{1} + w_{0}^{*} \cdot \pi_{0}}$$

$$= \frac{(1 - \theta) \cdot \text{Var}\left[e(X) \mid Z = 0\right] \cdot \pi_{1} \cdot \tau_{\text{LATT}} + \theta \cdot \text{Var}\left[e(X) \mid Z = 1\right] \cdot \pi_{0} \cdot \tau_{\text{LATU}}}{(1 - \theta) \cdot \text{Var}\left[e(X) \mid Z = 0\right] \cdot \pi_{1} + \theta \cdot \text{Var}\left[e(X) \mid Z = 1\right] \cdot \pi_{0}}$$

$$= w_{\text{LATT}} \cdot \tau_{\text{LATT}} + w_{\text{LATU}} \cdot \tau_{\text{LATU}}, \tag{36}$$

where the second equality uses the fact that $\tau_{\text{LATT}} = \frac{\mathbb{E}[Y(D(1))-Y(D(0))|Z=1]}{\mathbb{E}[D(1)-D(0)|Z=1]}$ (see, *e.g.*, Frölich and Lechner, 2010) and likewise $\tau_{\text{LATU}} = \frac{\mathbb{E}[Y(D(1))-Y(D(0))|Z=0]}{\mathbb{E}[D(1)-D(0)|Z=0]}$; also, $\pi_z = \mathbb{E}[D(1)-D(0)|Z=z]$ under Assumption SM. The remaining equalities follow from simple algebra. This completes the proof.

Proof of Corollary 4.3. Under Assumption EV, it follows from Theorem 4.1 that

$$\beta_{\text{IV}} = \frac{(1-\theta) \cdot \pi_1}{\theta \cdot \pi_0 + (1-\theta) \cdot \pi_1} \cdot \tau_{\text{LATT}} + \frac{\theta \cdot \pi_0}{\theta \cdot \pi_0 + (1-\theta) \cdot \pi_1} \cdot \tau_{\text{LATU}}.$$
 (37)

We also know from equation (20) that

$$\tau_{\text{LATE}} = \frac{\theta \cdot \pi_1}{\theta \cdot \pi_1 + (1 - \theta) \cdot \pi_0} \cdot \tau_{\text{LATT}} + \frac{(1 - \theta) \cdot \pi_0}{\theta \cdot \pi_1 + (1 - \theta) \cdot \pi_0} \cdot \tau_{\text{LATU}}.$$
 (38)

The proof consists of three steps. First, we need to show that $\tau_{\text{LATT}} = \tau_{\text{LATU}}$ implies that $\beta_{\text{IV}} = \tau_{\text{LATE}}$. This follows immediately from equations (37) and (38) as both β_{IV} and τ_{LATE} are convex combinations of τ_{LATT} and τ_{LATU} . In fact, this implication does not even rely on Assumption EV.

Second, we need to show that $\theta = 0.5$ implies that $\beta_{IV} = \tau_{LATE}$. Indeed, if $\theta = 0.5$, then it follows from equation (37) that

$$\beta_{\text{IV}} = \frac{\pi_1}{\pi_0 + \pi_1} \cdot \tau_{\text{LATT}} + \frac{\pi_0}{\pi_0 + \pi_1} \cdot \tau_{\text{LATU}}.$$
 (39)

Similarly, it follows from equation (38) that

$$\tau_{\text{LATE}} = \frac{\pi_1}{\pi_0 + \pi_1} \cdot \tau_{\text{LATT}} + \frac{\pi_0}{\pi_0 + \pi_1} \cdot \tau_{\text{LATU}},$$
(40)

and hence $\beta_{IV} = \tau_{LATE}$.

Finally, we need to show that $\beta_{\text{IV}} = \tau_{\text{LATE}}$ implies that either $\tau_{\text{LATT}} = \tau_{\text{LATU}}$ or $\theta = 0.5$. We begin by equating the right-hand sides of equations (37) and (38). Upon rearrangement, we get

$$\frac{\theta \cdot \chi_0 + (1 - \theta) \cdot \chi_1}{\theta \cdot \pi_0 + (1 - \theta) \cdot \pi_1} = \frac{\theta \cdot \chi_1 + (1 - \theta) \cdot \chi_0}{\theta \cdot \pi_1 + (1 - \theta) \cdot \pi_0},\tag{41}$$

where

$$\chi_z = E[Y(D(1)) - Y(D(0)) \mid Z = z]. \tag{42}$$

Upon further rearrangement of equation (41), we obtain

$$\theta^2 \cdot \chi_0 \cdot \pi_1 + (1 - \theta)^2 \cdot \chi_1 \cdot \pi_0 = \theta^2 \cdot \chi_1 \cdot \pi_0 + (1 - \theta)^2 \cdot \chi_0 \cdot \pi_1, \tag{43}$$

which also implies that

$$(\chi_0 \cdot \pi_1 - \chi_1 \cdot \pi_0) \cdot (2\theta - 1) = 0. \tag{44}$$

For equation (44) to hold, we need either $\theta = 0.5$ or $\frac{\chi_1}{\pi_1} = \frac{\chi_0}{\pi_0}$, where the latter condition is equivalent to $\tau_{\text{LATT}} = \tau_{\text{LATU}}$. This completes the proof.

References

- ABADIE, ALBERTO (2003): "Semiparametric Instrumental Variable Estimation of Treatment Response Models," *Journal of Econometrics*, 113, 231–263.
- ABADIE, ALBERTO, JIAYING GU, AND SHU SHEN (2019): "Instrumental Variable Estimation with First-Stage Heterogeneity." Unpublished.
- Angrist, Joshua D. (1990): "Lifetime Earnings and the Vietnam Era Draft Lottery: Evidence from Social Security Administrative Records," *American Economic Review*, 80, 313–336.
- ——— (1998): "Estimating the Labor Market Impact of Voluntary Military Service Using Social Security Data on Military Applicants," *Econometrica*, 66, 249–288.
- Angrist, Joshua D. and Guido W. Imbens (1995): "Two-Stage Least Squares Estimation of Average Causal Effects in Models with Variable Treatment Intensity," *Journal of the American Statistical Association*, 90, 431–442.
- Angrist, Joshua D., Guido W. Imbens, and Donald B. Rubin (1996): "Identification of Causal Effects Using Instrumental Variables," *Journal of the American Statistical Association*, 91, 444–455.
- Angrist, Joshua D. and Alan B. Krueger (1991): "Does Compulsory School Attendance Affect Schooling and Earnings?" *Quarterly Journal of Economics*, 106, 979–1014.
- Angrist, Joshua D. and Jörn-Steffen Pischke (2009): *Mostly Harmless Econometrics: An Empiricist's Companion*, Princeton–Oxford: Princeton University Press.
- Aronow, Peter M. and Cyrus Samii (2016): "Does Regression Produce Representative Estimates of Causal Effects?" *American Journal of Political Science*, 60, 250–267.
- Barua, Rashmi and Kevin Lang (2016): "School Entry, Educational Attainment, and Quarter of Birth: A Cautionary Tale of a Local Average Treatment Effect," *Journal of Human Capital*, 10, 347–376.
- Bond, Simon J., Ian R. White, and A. Sarah Walker (2007): "Instrumental Variables and Interactions in the Causal Analysis of a Complex Clinical Trial," *Statistics in Medicine*, 26, 1473–1496.
- Borusyak, Kirill and Peter Hull (2021): "Non-Random Exposure to Exogenous Shocks: Theory and Applications." Unpublished.
- Bound, John, David A. Jaeger, and Regina M. Baker (1995): "Problems with Instrumental Variables Estimation When the Correlation between the Instruments and the Endogenous Explanatory Variable Is Weak," *Journal of the American Statistical Association*, 90, 443–450.
- CAETANO, CAROLINA AND JUAN CARLOS ESCANCIANO (2021): "Identifying Multiple Marginal Effects with a Single Instrument," *Econometric Theory*, 37, 464–494.
- CAMERON, STEPHEN V. AND CHRISTOPHER TABER (2004): "Estimation of Educational Borrowing Constraints Using Returns to Schooling," *Journal of Political Economy*, 112, 132–182.

- CARD, DAVID (1995): "Using Geographic Variation in College Proximity to Estimate the Return to Schooling," in *Aspects of Labour Market Behaviour: Essays in Honour of John Vanderkamp*, ed. by Louis N. Christofides, E. Kenneth Grant, and Robert Swidinsky, Toronto–Buffalo–London: University of Toronto Press.
- CARNEIRO, PEDRO, JAMES J. HECKMAN, AND EDWARD J. VYTLACIL (2011): "Estimating Marginal Returns to Education," *American Economic Review*, 101, 2754–2781.
- Dahl, Christian M., Martin Huber, and Giovanni Mellace (2019): "It's Never Too LATE: A New Look at Local Average Treatment Effects with or without Defiers." Unpublished.
- DE CHAISEMARTIN, CLÉMENT (2017): "Tolerating Defiance? Local Average Treatment Effects without Monotonicity," *Quantitative Economics*, 8, 367–396.
- Donald, Stephen G., Yu-Chin Hsu, and Robert P. Lieli (2014): "Testing the Unconfoundedness Assumption via Inverse Probability Weighted Estimators of (L)ATT," *Journal of Business & Economic Statistics*, 32, 395–415.
- EISENHAUER, PHILIPP, JAMES J. HECKMAN, AND EDWARD VYTLACIL (2015): "The Generalized Roy Model and the Cost-Benefit Analysis of Social Programs," *Journal of Political Economy*, 123, 413–443.
- EVDOKIMOV, KIRILL S. AND MICHAL KOLESÁR (2019): "Inference in Instrumental Variables Analysis with Heterogeneous Treatment Effects." Unpublished.
- Frölich, Markus (2007): "Nonparametric IV Estimation of Local Average Treatment Effects with Covariates," *Journal of Econometrics*, 139, 35–75.
- Frölich, Markus and Michael Lechner (2010): "Exploiting Regional Treatment Intensity for the Evaluation of Labor Market Policies," *Journal of the American Statistical Association*, 105, 1014–1029.
- Gautier, Eric and Stefan Hoderlein (2015): "A Triangular Treatment Effect Model with Random Coefficients in the Selection Equation." Unpublished.
- HECKMAN, JAMES J., SERGIO URZUA, AND EDWARD VYTLACIL (2006): "Understanding Instrumental Variables in Models with Essential Heterogeneity," *Review of Economics and Statistics*, 88, 389–432.
- HECKMAN, JAMES J. AND EDWARD VYTLACIL (2005): "Structural Equations, Treatment Effects, and Econometric Policy Evaluation," *Econometrica*, 73, 669–738.
- HOEKSTRA, MARK (2009): "The Effect of Attending the Flagship State University on Earnings: A Discontinuity-Based Approach," *Review of Economics and Statistics*, 91, 717–724.
- Hong, Han and Denis Nekipelov (2010): "Semiparametric Efficiency in Nonlinear LATE Models," *Quantitative Economics*, 1, 279–304.
- HULL, Peter (2018): "Subtracting the Propensity Score in Linear Models." Unpublished.
- HUMPHREYS, MACARTAN (2009): "Bounds on Least Squares Estimates of Causal Effects in the Pres-

- ence of Heterogeneous Assignment Probabilities." Unpublished.
- Huntington-Klein, Nick (2020): "Instruments with Heterogeneous Effects: Bias, Monotonicity, and Localness," *Journal of Causal Inference*, 8, 182–208.
- Imbens, Guido W. and Joshua D. Angrist (1994): "Identification and Estimation of Local Average Treatment Effects," *Econometrica*, 62, 467–475.
- ISHIMARU, SHOYA (2021): "Empirical Decomposition of the IV–OLS Gap with Heterogeneous and Nonlinear Effects." Unpublished.
- KANE, THOMAS J. AND CECILIA ELENA ROUSE (1993): "Labor Market Returns to Two- and Four-Year Colleges: Is a Credit at Credit and Do Degrees Matter?" NBER Working Paper no. 4268.
- KITAGAWA, TORU (2015): "A Test for Instrument Validity," Econometrica, 83, 2043–2063.
- KLING, JEFFREY R. (2001): "Interpreting Instrumental Variables Estimates of the Returns to Schooling," *Journal of Business & Economic Statistics*, 19, 358–364.
- Kolesár, Michal (2013): "Estimation in an Instrumental Variables Model with Treatment Effect Heterogeneity." Unpublished.
- Lochner, Lance and Enrico Moretti (2015): "Estimating and Testing Models with Many Treatment Levels and Limited Instruments," *Review of Economics and Statistics*, 97, 387–397.
- Maestas, Nicole, Kathleen J. Mullen, and Alexander Strand (2013): "Does Disability Insurance Receipt Discourage Work? Using Examiner Assignment to Estimate Causal Effects of SSDI Receipt," *American Economic Review*, 103, 1797–1829.
- Mogstad, Magne, Andres Santos, and Alexander Torgovitsky (2018): "Using Instrumental Variables for Inference about Policy Relevant Treatment Parameters," *Econometrica*, 86, 1589–1619.
- Mogstad, Magne and Alexander Torgovitsky (2018): "Identification and Extrapolation of Causal Effects with Instrumental Variables," *Annual Review of Economics*, 10, 577–613.
- Mogstad, Magne, Alexander Torgovitsky, and Christopher R. Walters (2020): "The Causal Interpretation of Two-Stage Least Squares with Multiple Instrumental Variables." Unpublished.
- Mogstad, Magne and Matthew Wiswall (2010): "Linearity in Instrumental Variables Estimation: Problems and Solutions." IZA Discussion Paper no. 5216.
- MOUNTJOY, JACK (2019): "Community Colleges and Upward Mobility." Unpublished.
- Nybom, Martin (2017): "The Distribution of Lifetime Earnings Returns to College," *Journal of Labor Economics*, 35, 903–952.
- ROSENBAUM, PAUL R. AND DONALD B. RUBIN (1983): "The Central Role of the Propensity Score in Observational Studies for Causal Effects," *Biometrika*, 70, 41–55.
- Rouse, Cecilia Elena (1995): "Democratization or Diversion? The Effect of Community Colleges on Educational Attainment," *Journal of Business & Economic Statistics*, 13, 217–224.
- Sant'Anna, Pedro H. C. and Xiaojun Song (2019): "Specification Tests for the Propensity Score,"

- Journal of Econometrics, 210, 379–404.
- Semenova, Vira (2020): "Better Lee Bounds." Unpublished.
- SŁOCZYŃSKI, TYMON (2018): "A General Weighted Average Representation of the Ordinary and Two-Stage Least Squares Estimands." IZA Discussion Paper no. 11866.
- ——— (2020): "Interpreting OLS Estimands When Treatment Effects Are Heterogeneous: Smaller Groups Get Larger Weights," *Review of Economics and Statistics*, forthcoming.
- Smith, Jonathan, Joshua Goodman, and Michael Hurwitz (2020): "The Economic Impact of Access to Public Four-Year Colleges," NBER Working Paper no. 27177.
- Walters, Christopher R. (2018): "The Demand for Effective Charter Schools," *Journal of Political Economy*, 126, 2179–2223.
- ZIMMERMAN, SETH D. (2014): "The Returns to College Admission for Academically Marginal Students," *Journal of Labor Economics*, 32, 711–754.