

Every Day is Earth Day: Evidence on the Long-term Impact of Environmental Activism

Daniel Hungerman

Vivek Moorthy

November 2021

Abstract

We explore the importance of activism in the context of Earth Day. We use variation in weather to study the long-term effects of the original Earth Day on attitudes, environmental outcomes, and children's health. Unusually bad weather in a community on April 22, 1970, is associated 10 to 20 years later with weaker support for the environment, particularly among those who were school-aged in 1970. Bad weather on Earth Day is also associated with higher levels of carbon monoxide in the air and greater risk of congenital abnormalities in infants born in the following decades. These results indicate a long-lasting and localized effect of Earth Day, and show that there can be benefits to voluntary activity that would be impossible to identify until years after the volunteering occurs.

Hungerman: Department of Economics, University of Notre Dame, and NBER, email at dhungerm@nd.edu. Moorthy: Department of Economics, University of Notre Dame, email at vmoorthy@nd.edu. We thank Denis Hayes, Frank Passic, Walt Pomeroy, Jim Seidel, Larry Taylor, Mark Wilhelm, and audiences at the University of São Paulo, the SPI Conference at the University of Chicago, the H2D2 Conference at the University of Michigan, Notre Dame, and at the ASSA Conference. We also thank Editors Olken and Kuziemko, and the anonymous referees.

1. *Introduction*

In recent decades, ordinary people have frequently taken action to address social problems, but it is not always clear what is gained by their doing so. For example, in September 2019, millions of students across the world participated in strikes intended to draw attention to the environmental problem of climate change (Sengupta, 2019). This was lauded by many observers, but also criticized by both policy makers (Watts, 2019; and Australian AP, 2018) and by observers in the popular press (e.g., Freeman, 2020; Caldwell, 2019; see also Heglar, 2018; Lukacs, 2018; Geiling, 2018; Matthews, 2017). Many critiques questioned whether the actions of individuals matter. In the words of prominent activist Greta Thunberg, “the favorite argument here in Sweden, and everywhere else, is that it doesn’t matter what we do because we are all too small to make a difference” (Carrington, 2019).

This climate-strike response reflects a broader uncertainty over the benefits of voluntary actions. A body of research has found that low levels of activism often stem not from individuals doubting the importance of social problems, but from doubting that their actions can make a difference (Akpan, 2019; Salomon, Preston, Tannenbaum, 2017; Semenza et al., 2008; Huebner and Lipsey, 1981; Xu, Chi and Zhu, 2017; Rankin, 1969). If this type of doubt is justified, then a low level of activism could be useful, as it would direct individuals away from taking costly actions of no benefit. But if this doubt is misplaced, the cost of directing efforts away from beneficial actions could be extremely high. Prior research offers little evidence for either possibility, as scholars have struggled with numerous challenges in evaluating voluntarism (e.g., Andreoni, 2006). Brown (1999), in discussing these challenges, notes that “environmental activism [is a] form of volunteering in which it is much harder to quantify benefits” than other types of voluntarism since there is no designated recipient.

The goal of this paper is to provide new evidence on the impact of activism, and in particular environmental activism, by considering the original Earth Day, April 22, 1970. On this day, tens of millions of people came together to participate in gatherings ranging from teach-ins and clean-ups to protests and marches in an effort to alter the the values, envi-

ronmental quality, and health of their communities. We explore whether the circumstances in a community on the original Earth Day relate to outcomes in that community over the next 20 years. We thus circumvent/embrace the challenge noted by Brown in that we adopt communities, rather than individuals or nonprofits, as the unit of observation.

We first investigate whether Earth Day had long-term impacts on environmental attitudes in communities. Such a study runs the danger of reverse causation: places that had successful Earth Day celebrations might be places with strong pro-environmental attitudes, and it is the enduring attitudes that lead to a successful Earth Day rather than the other way around. We address this concern by exploiting variation in the weather on Earth Day, comparing places that had unusually good or unusually bad weather on the exact date in question. Our key assumption is that unexpectedly good/bad weather on this date should not be related to confounders like underlying community attitudes about the environment. If this assumption is correct, we can interpret a strong relation between weather shocks on April 22, 1970 and outcomes many years later as evidence for the importance of Earth Day.

Using data from the 1977-1993 waves of the General Social Survey, we find that weather on Earth Day has a statistically significant effect on attitudes: individuals in places with bad weather on Earth Day express less support for environmental spending 10 to 20 years afterwards. This result is observed in particular for those who were under age 20 at the time of Earth Day. For this group, a one-standard-deviation increase in precipitation corresponds to a 0.08 standard-deviation increase in opposition to environmental spending. We discuss magnitudes more in Sections 4 and 5, but view this effect and our others as reasonably large in size. Weather shocks on *other* days from that April generally have no effect.

We next see if weather on Earth Day is subsequently related to the quality of the environment. To measure local environmental quality, we use data on air pollution. We find that bad weather on Earth Day is associated years later with higher levels of air pollution, specifically carbon monoxide (CO). A one-standard deviation increase in precipitation leads to a 0.086 standard-deviation increase in average CO over the next 20 years. When we look

at other non-localized types of air pollution, such as ozone, we find no effect.

Finally, following a large empirical literature that relates environmental quality to infant health (e.g., Zivin and Neidell, 2013; Ritz et al., 2002), we find evidence connecting the original Earth Day to the health of newborns. A one-standard deviation increase in precipitation on Earth Day is associated 10 to 20 years later with a 0.13 standard-deviation increase in the fraction of births with a congenital abnormality. The evidence is suggestive that this result is stronger for children born to low SES women.

Prior work, notably Madestam, Shoag, Veuger, and Yanagizawa-Drott (2013), has studied large-scale instances of social activism and shown that conditions during gatherings such as political rallies can affect outcomes such as voting in following elections.¹ Our work is distinct in several important ways. First, rather than political activism we focus on environmental activism, which, as noted above, is a type of voluntarism whose efficacy has been particularly questioned and with unique societal implications. Second, we consider social outcomes concerning pollution and infant health, and provide direct evidence of Earth Day’s influence on these outcomes. We do not know of prior work that attempts to relate the effects of a social gathering on measures of social wellbeing such as these. Third, our time horizon is much longer, as we focus on the *decades* following our event. This is especially noteworthy as the long-term effects for many environmental issues are potentially the ones of greatest consequence.

These novel features yield several implications. First, our results provide evidence that ordinary people’s voluntary environmental actions do matter and that environmental activism warrants study as a mediator of environmental outcomes. An existing literature has considered the causes and importance of environmental activism; Price (2014) gives an overview. But this area of work is relatively small compared to work on government

¹See also (e.g.) Becker, Fetzer, Novy (2017); Fujiwara, Meng, Vogl (2020), and Madestam and Yanagizawa-Drott (2012). There is also work relating social gatherings and events to economic development (Montero and Yang, 2020), and riots and mob violence (e.g., Iyer and Shrivastava, 2018; Anderson, Johnson, Koyama, 2017). Our work is less related to the latter, as there are potentially important differences between violent and nonviolent protests (e.g., Chenoweth and Cunningham, 2013). This paper is about nonviolent methods of activism.

programs and policies to improve the environment. To our knowledge, work in this literature has not considered Earth Day nor even the types of activities featured on Earth Day (gatherings, demonstrations, and community events), despite the fact that many millions of individuals have participated in such events. And we do not know of any work on *any* type of environmental activism that presents large-scale and long-term evidence of benefits as we do here.

Second, our findings have implications for research on activism and evaluating the benefits of voluntary activity generally. Work here has noted that the estimated value of volunteering time is often surprisingly small (e.g., Brown, Meer, Williams, 2019, Lilley and Slonim, 2014). While several factors may drive this result, our work provides evidence on the potential importance of dynamic effects (cf. Scharf, Smith, and Wilhelm, 2017), as all of the outcomes we consider happen years after Earth Day. Moreover, looking over time, we find that our results on CO, which is our most consistently available outcome during the period of our study, only become significant in the mid 1970s, several years after Earth Day. Contemporaneous estimates of voluntarism here would underestimate, by a large amount, the value of actions on Earth Day. Our results show that there can be benefits to voluntary activity that would be impossible to identify until years after the volunteering occurs. This conclusion is made feasible by our study's focus on community outcomes over decades, rather than over months or a few years.

Third, prior work has explored how environmental quality can effect health in the long run (e.g., Isen, Rossin-Slater, Walker, 2017). Work of this kind generally relies on a fetal-origins style argument (cf. Almond and Currie, 2011). Rather than following that approach and connecting the well-being of adults to the policy circumstances of their births, we instead focus on a short-term event and observe how this event affects infants born after the event ends. These two (not mutually exclusive) mechanisms for dynamic effects would differ, for example, in predicting which cohorts are affected by temporary environmental events or retrenched environmental policies. Our work indicates that long-run effects of environmental

events may be driven by other channels in addition to fetal-origins-based effects.

Next, our work changes the interpretation of Earth Day itself. The importance of Earth Day in the history of the environmental movement is widely acknowledged, with Earth Day having played a role in the adoption of important laws such as the Clean Air, Clean Water, and Endangered Species Acts. But accounts of Earth Day typically do not consider effects beyond changes in federal policy and further conclude that the effects of Earth Day on environmental attitudes were short lived (cf. Fried, 1998; Shabecoff, chapter 5, 1993; Dunlap, 1992). O’Riordan et al. (1995) write that Earth Day “rapidly faded from public view” and, in an influential article, Downs (1972) uses concern about the environment in the early 1970s as a canonical example of an issue which “gradually fades from public attention.” Our results indicate the opposite, and more generally emphasize the highly-local and long-lasting benefits of Earth Day. We know of no work in any discipline that documents benefits of this nature for this day.

This however raises a final and more pessimistic implication of our study. The year 2020 was marked by large protests and gatherings prompted by the death of George Floyd (Taylor, 2020) and the campaign of Donald Trump (Bender and DeBarros, 2020). Our work suggests that events of this kind could have long-term impacts on opinions and outcomes—but perhaps the largest impact will be from gatherings that never happened. April 2020 was the 50th anniversary of Earth Day, which had the potential to be a widely observed and celebrated day the world over. The salience of this day was out of necessity greatly diminished in the face of the coronavirus pandemic. The results of this paper do not gainsay the wisdom of social distancing in the face of a pandemic. But they suggest that in addition to the short term damage created by the pandemic, the absence of social gatherings on April 22, 2020, could potentially lead to worse social outcomes decades from now.

The rest of the paper is organized as follows: We briefly overview Earth Day next. We then discuss data and methodology, present results, and conclude.

2. A Brief Overview of the Original Earth Day

Here we provide background on the first Earth Day. Rome (2013) is a good starting point for those wanting to learn more. Earth Day was conceived by US Senator Gaylord Nelson in 1969. Its purpose was, according to Nelson, to “force the issue [of the environment] into the political dialogue of the country” (Lewis, 1990). Nelson originally planned for a national “teach in” day, but his team helped morph the notion into a much broader day. Between 20 and 25 million individuals—roughly one out of every 10 Americans—participated. At the time, Earth Day was the largest organized demonstration in human history (Hayes, 1988).

April 22, 1970, which was a Wednesday, was selected as Earth Day because it was a day without other major competing events. It was also late enough in the spring that the weather would likely be good. The organizers further felt that students would be especially important for Earth Day, and for most students April 22 would fall after spring break but before the end of the school year.

In an important sense, the organization of Earth Day was decentralized. Major environmental groups did not play a large role in the promotion of Earth Day (Shabecoff, 1993). The central organizing committee provided information and materials when asked, but ultimately many communities took an ad-hoc approach, offering a variety of events for individuals of different ages and interests. Schools and students played an important part in Earth Day. Some schools across the country closed for the day so that students and teachers could pick up litter and clean their communities, while other schools and universities had events such as teach ins, tree-plantings, and demonstrations (Swearingen, 1970). According to some reports at the time, about 4 in 5 high school and college students reported their schools holding an event (Youth Service, 1970); roughly 2,000 colleges and 10,000 high schools participated (Associated Press, 1970).

To illustrate different Earth-Day events and their potential for lasting effects, consider the community of Albion, MI. On Earth Day, a group of Albion citizens gathered to clean up a section of the Kalamazoo River. They were led by an Albion College geology major

named Walt Pomeroy. Next, students came together at Albion College and engaged in a mass can-smashing event. Aluminum cans were sold to a scrap facility (curbside recycling was unknown at this time) and non-aluminum cans were returned to their manufacturers to encourage them to change to a reusable material. Students in nearby schools also picked up litter.

The city of Albion had asked students to clean up a section of the river so that it could be turned into a park, and that park is still in operation today. The city also established a recycling center after Earth Day. For the student organizer Walt Pomeroy, participation in Earth Day was “the beginning of a lifelong dedication to environmental causes” (Albion, 2016). Pomeroy created the Michigan Student Environmental Confederation, a group that came to represent over 100 local student environmental organizations, while working with local and federal government officials to improve environmental policy (U.S. government printing office, 1971). He subsequently became a regional vice president of the National Audubon Society (Dempsey, 2019). He credits Earth Day for helping to promote important local outcomes such as greater availability of returnable cans & bottles, and lowered phosphate levels in detergents (Smith, 2012).

These anecdotes indicate how Earth Day could have lasting effects by changing the infrastructure, leadership, and regulatory environment of communities. However, many communities made steps to improve the environment in the early 1970s, and the case of Albion could conflate Earth Day’s effects with broader trends. Albion could be a case of reverse causation: community engagement was high because community leaders were perceived to be receptive to voluntarism. Similarly, for individuals like Walt Pomeroy, actions on Earth Day could reflect an underlying taste for environmental voluntarism; he might have pursued a similar career even without Earth Day. The story of one community also says little about the overall effect of Earth Day. We turn to a broader analysis that addresses these concerns next.

3. *Empirical Approach*

Our approach will exploit variation in the weather on Earth Day. The original Earth Day was conceived as a one-time event; there was not a widespread recognition of Earth Day again until 1990. We thus focus on the interim period of the 1970s and 1980s, and relate outcomes from this period to weather conditions on the original Earth Day. Our weather data come from US Historical Climatology Network (USHCN).² Our unit of analysis from this data is the county and our measure of weather will be precipitation (cf. Madestam et al., 2013). For simplicity we will refer to this as rainfall as almost all precipitation observed on the original Earth Day was rain. However, in general precipitation can include (e.g.) snow. Precipitation is measured in 0.1 mm.

Figure 1 shows precipitation on Earth Day. Counties shaded black do not have available data, but the vast majority of counties are included. The scale in the picture is in tenths of a millimeter, so that the darkest grey areas received over 60 tenths of a millimeter (roughly .236 inches) of rain. April 22, 1970 was a day with good weather in much of the country, but there was widespread variation with virtually every state having at least some precipitation. The northeast and northern plains states received relatively more rain, and there are scattered instances of precipitation across the west coast.³

It is intuitive that weather on Earth Day would affect participation, and many contemporaneous accounts of Earth Day mention the benefits of good weather (e.g., Titusville Herald, 1970; Danville Bee, 1970). Beyond affecting the number of participants, good weather could have improved the length and quality of participation, and could have improved local media coverage of events. There is also anecdotal evidence from communities with activities marred by inclement weather (e.g., Brainerd Daily Dispatch, 1970; Oelwein Daily Regis-

²The USHCN is a designated subset of weather observations from the of the National Oceanic and Atmospheric Administration Cooperative Observer Program (COOP) Network with sites selected according to their spatial coverage, record length, data completeness, and historical stability.

³One might wonder whether the actual weather patterns on Earth Day were close to the forecast patterns, as the weather forecast may have mattered as well. We consulted national weather forecasts from April 21st, and confirmed that in general the realized weather on Earth Day was close to the forecast.

ter, 1970; Ogden Standard-Examiner, 1970). For a more quantitative estimate of weather’s effect on participation, one would need information on participation that included a high level of geographic detail and covered a wide range of areas. With this in mind, we can provide evidence on rain and Earth-Day participation from two different data sources: the 1973 Youth Socialization Survey, and the Current Population Survey. We discuss rainfall and participation on Earth Day more below.

When comparing places with precipitation on Earth Day to other places, we will include a number of control variables, many taken from the 1970 US Decennial Census. This census’ timing, information on communities, and geographic detail are fortuitous for our study. A list of the variables is given in Panel A of Table 1, along with means and standard deviations. The panel also shows a coefficient regressing each variable individually on precipitation and a set of fixed effects. The text under table Table 1 reports several conventional joint tests that indicate that precipitation on Earth Day does not appear to be significantly related to these community observables. When looking at a particular outcome y in community c in year t , our specification will be:

$$y_{ct} = \alpha + r_c \phi + X_{ct}\beta + \Gamma_c \delta + \Phi_t \lambda + e_{ct} \quad (1)$$

where r_c , which is not indexed by t , is precipitation on April 22, 1970, X_{ct} is a set of controls, Γ_c is a set of geographic fixed effects which necessarily must subsume the measure of community c , and Φ_t is a set of year fixed effects. The scalar ϕ and vectors β , δ , and λ are to be estimated, and e_{ct} is noise. We use census regions for geographic fixed effects Γ_c , although for results using Vital Statistics data, which have many observed communities c per state, we will also consider state fixed effects. Some results use individual survey data; in that case the unit of analysis is an individual i while the key regressor continues to be r_c . Our specification then becomes

$$y_{ict} = \alpha + r_c \phi + X_{ict}\zeta + X_{ct}\beta + \Gamma_c \delta + \Phi_y \lambda + e_{ict} \quad (2)$$

where y_{ict} is the individual-level outcome variable, X_{ict} are a set of individual regressors, ζ is a set of coefficients to be estimated, and the other terms are as in (1). For all outcomes in both (1) and (2), we will vary the set of controls to explore whether they affect estimates of ϕ .

Further, we can explore a stronger specification where we control for rain on other days on April 1970. If Earth Day stands out in its relation to later outcomes, this is strong evidence that it is Earth Day, rather than other unobserved elements that vary with weather, which drives our results. We can also consider results that use deviations from standard weather in our estimates. That is, we calculate the average precipitation on April 22 from 1968 to 1990; call this \bar{r}_c . Then in equation (1) we can replace r_c with $(r_c - \bar{r}_c)$. This then identifies the deviation from standard weather on Earth Day, capturing the extent to which the weather was unusually good or bad. We can further combine both of these extensions, running regressions on the deviation-from-normal precipitation for various days in April, 1970, and relating them to outcomes years later.⁴ Several other comments are in order for the specifications used for each dataset and we discuss them next.

3.1 GSS

As Dunlap (1992) observes, there is little data that allows study of opinions about environmental issues over time during the period of our study. We need such data to be (a) large in size (b) covering much of the nation and (c) providing reasonably precise information on one’s local community. We know of one dataset fulfilling these criteria: the General Social Survey, or GSS. The GSS is a long running, roughly biennial survey that is nationally representative. In every survey from 1977 to 1993, respondents were asked whether the amount of money that we are spending “improving and protecting the environment” was too little, about right, or too much. We take these responses and use them to estimate equation (2).

⁴Rather than comparing days in April 1970, one could also compare April 22 from different years; as discussed below, we will do so. We find that the only year in the sample where rainfall consistently predicts outcomes is 1970, which accords with the fact that Earth Day was not widely celebrated during most of the 1970s and 1980s.

First, we simply construct an index, where 3 corresponds with too much being spent, 2 corresponds with about-right spending and 1 corresponds with too little. The mean of the index is 1.5 (sd = 0.64). We also construct a dummy that equals unity if a respondent says we spend “too little” on the environment. The overall mean of this dummy is 0.62 (0.49). These means, and means for our other dependent variables, are given in panel B of Table 1. We also include a set of individual controls in our GSS specification.⁵ GSS data from this period use Primary Sampling Units (PSUs) as the geographic identifier, which is often similar to a metropolitan statistical area. We discuss our use of the PSU identifier and our construction of the GSS data more in the Appendix Section 2.

3.2 Carbon Monoxide

Following many studies (e.g., Currie, Neidell, and Schmieder, 2009; Currie and Neidel, 2005), we consider air pollution as a key measure of environmental quality in the 1970s and 1980s. This choice reflects data availability rather than a belief that Earth Day particularly affected this type of pollution. We focus on carbon monoxide (CO), as it is a pollutant proven to be related to both health outcomes and local activity of individuals.⁶

Following Chay and Greenstone (2003), we obtain annual monitor-level CO data from the EPA Air Quality System (AQS).⁷ Our data go from 1970 to 1988 and measurements are defined as average parts per million measured over a calendar year. The unit of analysis is the county. In most years we have between 200 and a little over 300 counties with CO readings, but these counties cover over half of the United States population in most of these years. We limit our sample to measurements from monitors that produce at least 15 observations in a year, although this does not substantively affect our results.

⁵These are controls for age, dummies for high school and more-than high school education, gender, race, year of survey, and a dummy for which survey form was used to conduct the survey.

⁶CO is a colorless, odorless gas that enters the atmosphere when something is burned. Key sources of CO in outdoor air include cars, trucks and machines that burn fossil fuels (cf. Knittel, Miller, and Sanders, 2016).

⁷Specifically, we query the AQS API where pollutants and other substances are labeled as parameters. The associated parameter for CO is 42101.

We also estimated the results of Earth Day on other pollutants, including nitrogen dioxide (NO₂), sulfur dioxide (SO₂), TSP, and ozone.⁸ Importantly, these sources of air pollution can be driven by non-local sources or by activities that would likely not be affected by changes in individuals' voluntary behaviors. For instance, the EPA reports that NO₂ and ozone are capable of traveling several hundreds of miles due to wind and other factors (EPA Technical Bulletin, 1999). Likewise, SO₂ emissions form compounds and fine particle pollutants (TSPs) which can travel hundreds of miles, making it difficult for downwind states to meet air quality standards (EPA, Clean Air Markets, 2019; EPA, What is Interstate Air, 2019).⁹ Given this, we expect (and find) that Earth Day should be less-related/unrelated to the presence of these pollutants in the atmosphere.

3.3 Infant Health

Our data here come from the Natality Detail Files prepared by the Division of Health Statistics of the National Center for Health Statistics. These data include essentially all births in the United States, about 4 million births per year.¹⁰ Our key measure of infant health is congenital abnormalities, which is only consistently available starting in 1980¹¹. Coding of this variable changed in 1989; for this reason (and noting as discussed earlier the resumption of celebrating Earth Day in 1990) we use the years 1980 to 1988. We also discuss results using fetal deaths, compiled by the Centers for Disease Control. Our geographic identifier for both the CDC mortality data and the vital statistics data is the county.

In both datasets, we will separate out our samples by socioeconomic status (SES) using information on birth certificates. We define births/fetal deaths to low SES mothers as occurring to women who are one of the following: (a) teenaged (b) unmarried (c) nonwhite.

⁸AQS API parameter codes 42602, 42401, 11101, and 44201, respectively. These pollutants, along with CO, comprise the five major air pollutants for which the EPA creates an Air Quality Index (AQI), as per the Clean Air Act.

⁹Additionally, see <https://www.epa.gov/sips/basic-information-air-quality-sips> for information on how all these pollutants enter the air.

¹⁰For several states and years a 50% sample is provided; in this case we weight these states so that their sample reflects all births.

¹¹We are also able to obtain this outcome for a few earlier years, which we use for placebo estimates below.

High SES women are all others. The (weighted) fraction of congenital abnormalities for all women, high SES women, and low SES are each 0.01; the means and standard deviations are in Table 1.

3.4 Youth Socialization Survey

The 1973 Youth Socialization Survey is the only study we know of which directly asks a national sample of young adults (or other adults) about voluntarism in 1970. This survey asked a nationally-representative sample of 1,300 young adults, “Have you ever taken part in a demonstration, protest, march, or sit-in” and if they answered yes were asked to give examples. The dataset includes the time period of each of the first two examples named. While based on a small sample and a retrospective question, we can use this survey response to estimate a relationship between rainfall and participation on Earth Day.

We take as our dependent variable a dummy that equals unity if a respondent reports participating in a demonstration/protest in 1970 and zero otherwise. A total of 48 respondents report participating in a 1970 event. We might expect more to have participated in Earth Day as other estimates say 10 percent of the population participated; that percent was likely higher for the age group in this survey. The low number reported could be driven by people instead reporting events in other years (a total of 159 respondents list participation in events in other years but not 1970). If people participated in Earth Day but do not recall doing so for this question (e.g., they do not consider their participation to have been a demonstration or protest as many events consisted of clean ups and teach-ins) that will bias estimates towards zero if such non-recall is unrelated to the weather. If people who participated in Earth Day events during *bad* weather are especially likely to recall this when answering this retrospective question, that bias will work *against* our results. Similarly, if volunteering on Earth Day led to volunteering in following years, and these more recent volunteering episodes were mentioned on the survey, they could “crowd out” the mention of the original volunteering on Earth Day, which would also bias the estimates towards zero. For

location, we use the Primary Sampling Unit of respondents in the 1965 wave of the survey. PSUs are coded as SMAS or counties. We discuss this survey and our use of these sampling units in more detail in Appendix Sections 1 and 2.

In addition to this survey, we can use the much larger samples from the 2002-2014 waves of the Current Population Survey, which explicitly asked about environmental voluntarism while covering more recent Earth Days. We report CPS estimates on Earth Day rain and voluntarism in Appendix Section 2; both datasets give qualitatively similar results.

4. Earth Day and Long-Run Environmental Attitudes

Figure 2 shows the results of regressing our anti-environment index from the GSS on the deviation-from-historical-precipitation ($r_c - \bar{r}_c$) for each day in April 1970. Coefficients are multiplied by 100 for readability. The figures show coefficients and 95 percent confidence intervals for the days of April 17 through April 28. The full set of coefficients for all days is given in Appendix Figure A3. Panel A restricts the sample to those under age 20 on Earth Day and panel B includes all respondents.

Panel A shows a large and statistically significant effect for rainfall on one day, Earth Day. Precipitation on this day is related to greater opposition to environmental spending by respondents 7 to 23 years later. The coefficient in Panel B is smaller and marginally significant, showing that the effect of good weather on Earth Day is stronger for those under age 20. We take up the differential effects of Earth Day by age in more detail momentarily.

The multiplied-by-100 coefficient in panel A is about 0.13, and as noted earlier the mean of the index variable is 1.5 with standard deviation .64. For increased rainfall on Earth Day of 100 tenths of a milliliter, the average change in this index would be an increase of about 0.13, or one tenth of the mean. Put differently, a one-standard-deviation increase in precipitation (~ 40 tenths of a millimeter) corresponds to roughly a 0.08 standard-deviation increase in opposition to environmental spending. Alternately, in the Appendix (Table A2) we show that being older at the time of the survey leads to more anti-environmental attitudes, and

the effect of a one-millimeter increase in precipitation on Earth Day is similar to the effect of aging one year. These different interpretations suggest that the effect of Earth Day is modestly sized but nontrivial.

Table 2 shows results from estimating equation (2) under a number of alternate specifications, measures of environmental support, and samples. In the first two columns, the dependent variable is a dummy for whether people say that we are spending too little on the environment. The last two columns use the overall opposition index used in Figure 2. Coefficients are again multiplied by 100 for readability. The first row presents results using deviation-from-historical-norm precipitation which for brevity the table simply calls “rain.” Unlike the estimates in Figure 1, here only weather on April 22 is included. The second row redoes the baseline specification but uses simple precipitation r_c rather than its deviation from the historical mean. The third row redoes the baseline estimation but adds extra control variables (coefficients for controls are reported in Table A2) and year and region fixed effects. Row 4 uses winsorized deviation-from-historical-average rain using the 5% and 95% values for winsorizing, and also includes the extra RHS controls. By using winsorized rainfall, the results investigate whether the effect of Earth Day is driven by outliers that received far-from-normal weather, or by more general patterns. The last row uses a logistic regression for the GSS survey responses for the first two columns and an ordered-logit regression in the last-two columns. These coefficients are the changes in log odds (again times 100). Log-odds ratios for the under-age-20 logistic estimations are given under the table.

The table consistently shows a strong effect for those under age 20 on the original Earth Day, where higher precipitation leads to lower support for environmental spending later. Winsorizing the data makes the results stronger, suggesting our estimates are not driven by a small set of extreme values. But clearly the results are driven by those who were under age 20 on Earth Day. The implication is that Earth Day’s power to generate variation in environmental opinion (or at least *relative* variation within a year of the survey) based on weather exposure seems strongest for those who were school-aged at the time Earth Day was

observed. Moreover, if adults were likely to be impacted by Earth Day from (e.g.) watching television rather than participating in outdoor events, the impact of Earth Day for them could be less responsive to the variation in local rainfall driving the results in Table 2.

Figure 3 explores the effects of age on Earth Day further. In this figure, we restrict the sample to those at least age 5 on Earth Day (results for those between ages 0 and 5 on Earth Day are typically imprecise) and then adjust the maximum age-at-Earth-Day in the sample one year at a time. The specification matches the one with extra controls used in row 3 of Table 1, and the dependent variable is the overall anti-environment index. 95% confidence intervals are shown around each coefficient. The picture shows that the effects are strongest for school-aged children, and starting around age 15 begin a gradual decline. Given our methodology, these results cannot rule out that Earth Day permanently affected attitudes for all cohorts. However Earth Day's power to generate *relative* variation in environmental opinion *within* a cohort seems limited to those who were school aged at the time.

In the Appendix we present further evidence on Earth Day and environmental opinion. First, Appendix Figure A3 presents results from the first panel of Figure 2 showing all days in April 1970 as well as presenting results for our other outcome variables that we discuss next. Second, Figure A4 presents nonparametric estimation of rainfall and environmental support, relaxing the assumption that this relationship is linear. The estimates are qualitatively similar to those shown here.

Lastly, Appendix Section 3 describes alternate estimates of Earth Day and preferences using data on donations to the League of Conservation Voters. The data is limited to large donations reported to the government, and these results can be imprecise. But the point estimates suggest that good weather on Earth Day increases donations to the LCV in the following decades. Altogether, Earth Day had long lasting effects on individuals' opinions. We turn next to our estimates on air pollution and child health.

5. *Earth Day, Air Pollution, and Child Health*

We first consider estimates that follow the estimates from Section 4 and then discuss several robustness tests and extensions.

5a. *Main Estimates*

Figure 4 shows the day-by-day effect of Earth Day and other days from April 1970 on carbon monoxide levels¹². The figure is constructed analogously to Figure 2, showing coefficients for deviation-from-historical-average precipitation (“rain” for short) for various days in April 1970 and parts-per-million of CO in the atmosphere from 1970 to 1988.

As before, one day stands out, Earth Day. Communities that saw greater-than-average rainfall on Earth Day see more carbon monoxide in their air over the next 20 years. In this regression sample (limited to counties with CO data) a standard-deviation increase in precipitation is ≈ 25 tenths of a millimeter, suggesting a one-standard-deviation increase in rain is associated with an increase in CO in the atmosphere of $25 \times .0046 = .115$ parts per million, which is .086 standard deviations of CO. During the period of the sample, average CO in the atmosphere declined by about 2.8 parts per million; the standard-deviation-in-rain effect is about one twenty-fifth this general decline in CO. As before, the effect is modest in size but not negligibly small.

We return to results on CO momentarily but first consider Figure 5, with day-by-day results on congenital malformations. The results show that bad weather on Earth Day is associated with more congenital abnormalities 10 to 20 years later. The coefficients are multiplied by 100, so that an increase of 100 tenths of a millimeter in rain on Earth Day increases the probability that a child is born with a congenital abnormality by 0.3 pp. The effect of a one-standard-deviation increase in rain is roughly one-tenth the size of the effect from living near a landfill as estimated in Elliott et al. (2001).¹³ Alternately, a 1

¹²Appendix Table A3 shows results on other air pollution but as noted earlier, and as expected, we see no effect.

¹³Similarly, Currie, Greenstone, and Moretti (2011) look at the effect of the closing of a Superfund site on

s.d. increase in rain increases the fraction born with congenital abnormalities by about 0.1 standard deviations.

Table 3 presents regression estimates of (1) on CO and congenital abnormalities. Residuals are clustered by state. The first column looks at CO levels, and finds consistent evidence that across our measures of precipitation there is a relationship between more rain on April 22, 1970, and more CO in the air in the next 20 years. As with the GSS results before, the magnitudes are similar but slightly smaller than in the day-by-day figure: controlling for other rainfall makes the coefficient slightly *larger* than the more conservative numbers here.

The last three columns report regressions with congenital abnormalities as the dependent variable and break the results out by SES of the mother. We find consistent effects of precipitation on the original Earth Day on the risk of congenital abnormalities 10 to 20 years later. This represents a novel example of how the neonatal health benefits of environmental action can endure absent a fetal-origins type of argument; the cohorts here were of course not even alive on the first Earth Day.¹⁴ Looking at the last two columns, most of the estimates give larger point estimates to low SES groups. One might wonder whether this indicates a *proportional* difference in abnormalities by SES, but as noted under the table, the incidence of abnormalities is similar for the two groups, so that the proportional effects are similar or perhaps slightly higher for low SES women. The results are similar using rain in levels instead of residualized deviation-from-mean rainfall in row 2, using extra controls and fixed effects in row 3, using weights (population weights for CO and total births for congenital abnormalities) in rows 4 and 6, or when using winsorized rainfall in rows 5 and 6. One might also wonder whether the imposition of a linear relationship between weather and outcomes is

abnormalities from nearby births; depending on the specification their results are about 2 to 6 times larger than these.

¹⁴While congenital malformations were collected on Certificates of Live Births following the revision in 1968, they are not reported consistently on summary tape files until 1980, and there are no published local area statistics on congenital malformations in volumes of the *Vital Statistics of the United States* from 1968 to 1980. However, summary tape files do report tabulations on congenital malformations from 1969 to 1971 on a provisional basis. Estimating (1) using this data reassuringly yields small and statistically insignificant effects. Re-estimating row 4 for 1969 only, we obtain a multiplied by 100 coefficient of .0008 (p-value = .615), and including all years 1969-1971, our multiplied by 100 coefficient is .0018 (p-value = .216).

appropriate. The winsorization results touch on this issue, but as mentioned earlier Appendix Figure A4 presents nonparametric estimates and those estimates are qualitatively similar to the results here.

One could investigate whether rainfall on April 22 in other years matters for later outcomes. As noted before, recognition of Earth Day faded after 1970 and the day was not widely recognized again for most of the 1970s and 80s. Figure A6 in the Appendix shows such results from all three outcomes—environmental opinion, CO readings, and congenital malformations. The only consistently observed effect is from rainfall in 1970, the year Earth Day occurred. Next, Figure A7 in the Appendix presents results on congenital malformations with state fixed effects, thus identifying the effect of rainfall using variation within counties in the same state. Although the nature of the variation driving the figure is different, the results again find a strong effect for Earth Day.

In Table 3 we cluster our standard errors by state, allowing for errors within states and over time to be related arbitrarily while imposing an assumption of no between-state correlation. We report county-clustered standard errors in Appendix Table A4. The CO errors are similar from both approaches but the county-clustered SEs are somewhat smaller for the congenital abnormalities results, thus the results shown in Table 3 are more conservative relative to using county clusters.¹⁵ In Appendix Table A6, we report estimates on fetal deaths. These results are similar to Table 3 and suggest that bad weather on Earth Day is associated with more fetal deaths 10 to 20 years later, but these estimates are more sensitive to our choice of clustering method.¹⁶

¹⁵The GSS data uses PSUs which often, but not always, map into states; many states have few PSUs in the sample. Table A5 in the Appendix provides results where we conduct a match of PSUs to states and calculate state-level standard errors. They are generally close to the PSU clusters shown earlier.

¹⁶We also considered low birthweight as an outcome, but these estimates are often insignificant, small, and/or “wrong-signed”. For example, doing our main specification in Table 3 with all controls (as in row 4) on the fraction born weighing less than 1500 grams produces coefficients (multiplied by 100) of $-.0001$ ($se = .00023$), $.000048$ ($.0002$), and $-.0003$ ($.0004$) for all, high SES, and low SES women respectively. This may be driven by a harvesting effect since we have some evidence of an increase in fetal deaths. These null findings are similar to some of those in prior work on the environment and child health, e.g., Currie and Neidell (2005) find a significant relationship between CO pollution and infant mortality but find no effect of CO on birthweight, and Currie, Greenstone and Moretti (2011) look at Superfund sites and infant health and find the strongest effects for abnormalities, less robust effects for mortality, and generally insignificant

Table A4 shows that county and state clustering are qualitatively similar, but both of these approaches impose assumptions about the spatial distribution of standard errors. The same was true of the GSS estimates in Table 2. Building on Figure A6, we explore the implications of this with a series of placebo tests using rain from other days in April from 1968 to 1990. We take rainfall from each day in each of these ApriIs, regress outcomes on rainfall, and compare the true coefficient to the distribution of coefficients from the placebo regressions. Similar to Madestam et al. (2013), we drop April 21, 22, and 23 of 1970 from the placebo distribution, and we avoid having the results on any given day driven by a small set of rainy counties by dropping days that received very little rainfall (Madestam et al. use days where at least 10% of observations have .1 inches of rain; we use at least 10% having 3mm). We run placebo draws for the GSS separately from the other samples since that data is not county level.

The results are shown in Figure 6. Each panel reports the cumulative distributions of the placebo estimates, with a vertical line denoting the location of the true estimate. Below each panel, the p value based on the original inference method is reported alongside a p value reporting the fraction of placebo coefficients that exceed, in absolute value, the original coefficient. The top two rows consider GSS results (using support for environmental spending and our opposition index), for all ages on the left and for those under 20 on the right. The bottom row shows our estimates for CO and congenital abnormalities.

The overall takeaway from the figure is that the precision of the estimates based on this placebo-estimate approach is similar to that from the main estimates. In one case an estimate goes from not significant to marginally significant when the placebo inference technique is used (for CO, in the bottom row), and otherwise the results are qualitatively similar with both techniques. The results frequently suggest, as with Table A4, that our use of state clusters is if anything a more conservative approach to inference.

effects on birthweight. Overall, we do not have robust evidence relating Earth Day to birthweight.

5b. Participation, Dynamics and Further Discussion

In this section we discuss several extensions to our main results. First, can we quantify the impact of rain on participation on the original Earth Day? Table 4 uses the 1973 Youth Socialization Survey to explore this issue. The table shows estimates from regressing self-reported participation in a 1970 demonstration/protest on original-Earth-Day rainfall. Coefficients are multiplied by 100 for readability; the logistic coefficient is a log-odds coefficient. The first row is the baseline estimate of participation on deviation-from-mean rainfall and individual controls. The second row uses simple precipitation rather than deviation-from-mean. The third row redoes the baseline estimation with extra control variables (those in Table 1); the fourth row further includes census region fixed effects. Row 5 redoes row 3 using winsorized precipitation. Row 6 redoes row 3 with a logit regression. The last row redoes the baseline but now the dependent variable is participation in years other than 1970.

Most coefficients are negative and significant, indicating that that rain on April 22, 1970 is negatively associated with individuals subsequently reporting participation in a demonstration or event that year. Noting that the coefficients are times 100, the magnitude suggests that a 40-tenths-of-a-millimeter increase in rain lowers reported participation by a little under 1 percentage point. If one assumed that that participation in Earth Day for this group was (e.g.) twice that for the average member of the population, the implied effect would be 5 percent of the mean ($.01/.2=.05$). The logit regression similarly suggests that such an increase in rain would lower the odds of participation by about $e^{(40 \times -.00974)} \approx .65$, an effect off of a base of about .03 to $.03 \times .65 \approx .019$. In contrast, the results in the bottom row suggest that rain on Earth Day *increases* the likelihood that a person reports participating in an event some *other* year; this coefficient is large but less precise than some of the main results. We take these results as suggestive, since the estimates in the table are sensitive to specification (as are results using rain in many days in April, which are generally insignificant) and the data come from a small sample. In Appendix Section 2, we find qualitatively similar effects from a much larger sample in the CPS (using later years). Overall the results indicate

that, as one would expect, bad weather on Earth Day is associated with lower participation; and Table 4 suggests that the effects of Earth Day on later attitudes and outcomes may be associated with moderately-sized changes in participation in response to rain.

Next, our results show a long term effect from Earth Day. Can we characterize the dynamics of this effect? Since CO levels are the outcome most consistently available over the entire period, we investigate whether and how our CO estimates change over time. Figure 7 shows the results from regressing carbon monoxide levels on deviation-from-historical-norm precipitation on the original Earth Day. Each coefficient is from a separate regression analogous to the regression in column 1, row 1, of Table 3, except that in each regression here we limit the sample to a single year. We omit the years before 1973 as their confidence intervals are extremely imprecise and affect the scale of the picture (but these intervals are given under the table).

Figure 7 shows point estimates that gradually decline in the late 1970s and then moderate in the 1980s. Notably, however, the effects only become statistically significant starting five years after Earth Day. This suggests that studies of the efficacy of voluntary action should consider carefully the potential for mid- or long-term effects even when there are no significant short-term effects. One explanation for this result is that those whose opinions changed the most from Earth Day (students) needed time to reach an age where their decisions (e.g., driving) are consequential for CO. Also, for individuals of any age there are likely frictions that could introduce some time lag in making decisions that matter for air pollution.

One noteworthy decision of this kind could be migration: places that celebrate Earth Day could subsequently become more attractive to like-minded individuals who relocate. This is a possible way by which weather on Earth Day could affect community characteristics years later. Even if Earth Day does not alter migration decisions, places that were “treated” by Earth Day could change the environmental stances of migrants after they move. For example, Earth Day could alter the values of the media or elites, who then subsequently influence the views of those who move into a community. Relatedly, Perez-Truglia and Cruces (2017)

show that the salience of social engagement from one’s neighbors can affect one’s own social engagement; if Earth Day makes environmentalism more salient in a community, this could encourage pro-environmental migrants to be more engaged or outspoken. On the other hand, if Earth Day neither (a) affects migration decisions nor (b) affects the values/engagement of migrants after they relocate, then we would expect our results to be driven by non-migrants.

The GSS asks whether respondents live in the same city as they did at age 16, so that one can explore whether the effect of rain on environmental opinion in the GSS differs for migrants versus non-migrants. In Table 5, we redo the main support-for-environmental-spending estimates in row 3 of Table 2, where now rainfall is interacted with a set of dummies for whether a respondent reports (a) living in the same city as at age 16 (b) living in a different city, but in the same state, as at age 16 (c) living in a different state than at age 16 (non-interacted moving dummies are also included). The last row in each column reports the p-value of a Wald test of the null hypothesis that the three rain-on-Earth-Day coefficients are equal.

We make several observations. First, for the under-20 sample, the coefficients are all similarly sized and across all specifications the Wald tests cannot reject the hypothesis that the coefficients are equal. This is evidence against a story where migrants play no role in Earth Day—our results indicate that the conditions on Earth Day in one’s *current* community matter, even if one is a migrant. Second, across all specifications, the out-of-state-mover coefficients are statistically insignificant, while the in-state-movers results are larger in absolute value and (for the under 20 sample) more precise. The fact that in-state movers have stronger results than out-of-state movers could be explained several ways. For example, rainfall in the community of residence could be a better proxy for Earth Day conditions for nearby movers; alternately, nearby movers could have different information or ability to sort than out-of-state movers when choosing a destination within a state (e.g., within a metropolitan area). However, we take this result as suggestive as the coefficients are not precise enough to confirm any potential difference between the two groups.

Next, the results also suggests that mobility is not the *only* channel by which Earth Day affects outcomes; if it were we would then expect the stayers' coefficient to be zero. We also explored whether rain on Earth Day was related to the change in total county population between 1970 and (a) 1975 (b) 1980 or (c) 1985; in all cases county population growth was unrelated to rain on Earth Day. We thus do not observe a direct mobility affect while we *do* observe opinion effects and county-wide pollution and child-health effects from Earth Day. Altogether, these results do not support simple stories where migration plays no role in Earth Day or is the driving factor behind Earth Day. Rather, the results are potentially more consistent with a story of values adoption and/or selective migration among movers, as well as enduring effects among non-movers. We leave further investigation of these alternatives to future work.

Individuals' differential responses to technological change could also influence dynamics. For instance, the introduction of the catalytic converter reduced CO emissions from automobiles starting with the model-year 1975 vehicles in the US; there were other changes that also increased the availability of lower emission vehicles at this time.¹⁷ Overall, there was a 40% reduction in CO emissions from the average car in operation, both new and old, between 1970 and 1975 (MVMA, 1976). In comparison, the average individual in our sample saw mean CO of 2.4 in 1975, so that Figure 7 suggests a standard-deviation change in rainfall leads to about an 8%-of-the-mean difference in CO that year.¹⁸ Other factors could also matter for Figure 7, such as the possibility that the effects of Earth Day decayed over time (and potentially did so differently for those who were older on Earth Day vs those who were younger). Overall, the main takeaways from Figure 7 are that the effects of voluntary

¹⁷For example, new EPA regulations and external forces such as the 1970s oil embargo both led to more fuel efficient vehicles in production (Kahn, 1976).

¹⁸How relevant might those under-age 20 on Earth Day be for the result in Figure 7? Suppose there are two types of driver, old and young, that both pollute at rate z , but if treated by Earth Day the young pollute at rate $z \cdot e$. Drivers who had been under the age of 20 on Earth Day made up about 1/4 of all drivers by 1975 (MVMA, 1976). Thus, an 8% effect means $(.75z + .25z) \cdot .92 = .75z + .25z \cdot e$, or $e = .68$. If young drivers respond to Earth Day with a $\sim 30\%$ change in emissions, this could drive Figure 7. As noted above, this would actually be smaller than the overall change in the emissions observed for the average car during this period (and assumes no change in other behavior or from other individuals). This suggests young drivers could plausibly have played an important role in changing pollution in 1975.

activity may be very long lasting, that these effects may at first appear negligible and then become visible only several years after the activity takes place, and that several plausible stories are consistent with these results.

Conclusion

In this paper we show that ordinary people, taking purely voluntary actions, can on a single day come together to collectively alter the the values, cleanliness, and health of their communities for years to come. We show that this happened on April 22, 1970. The effects of this activism were long-lasting and in some cases only became statistically significant after several years.

Prior work has shown long term effects of environmental policy on health and well being, but as noted earlier this is typically done through a fetal-origins argument. Our focus, showing a hysteresis-style effect wherein a temporary event affects cohorts born later, is different. If such effects apply to other temporary events (e.g., retrenched environmental policies), an implication would be that pre-post comparisons of cohorts born before and after an event or policy ends could produce biased estimates (likely biased towards zero, as “control groups” in the post period would still reflect the treatment), although we do not test for that possibility here.

These results also change the story of Earth Day itself, showing that Earth Day had previously-unnoticed, highly-local, enduring impacts. These results however do not refute the importance of Earth Day in promoting national change through (e.g.) the adoption of federal policy such as the passage of the Endangered Species Act. Accounting for these national benefits, which are likely independent of local rainfall and which our estimates thus do not include, would make the social benefits of Earth Day greater still. Whether these results will hold for other mass demonstrations, we cannot say. Applying the approach here to other large scale voluntary events represents an excellent idea for future research.

References

- [1] Albion College 2016. Robert E. Horton Geology Alumni Speaker: Walter Pomeroy, '70. University Announcement, September 20, 2016. Accessed online at <https://www.albion.edu/news-and-events/events/859-albion-college-events/867-lecture-guest-speaker/7234-robert-e-horton-geology-alumni-speaker-walt-pomeroy-70>
- [2] Almond, Doug, and Janet Currie. 2011. "Killing me Softly: The Fetal Origins Hypothesis" *Journal of Economic Literature* 25(3), 153-72.
- [3] Akpan, Nsikan. 2019. "How your Brain Stops you from Taking Climate Change Seriously" article accessed at <https://www.pbs.org/newshour/science/how-your-brain-stops-you-from-taking-climate-change-seriously>
- [4] Anderson, Robert Warren, Noel Johnson, and Mark Koyama. 2017. "Jewish Persecutions and Weather Shocks: 1100–1800" *The Economic Journal* 127, 924-958.
- [5] Andreoni, James. "Philanthropy", in Handbook of the Economics of Giving, Altruism and Reciprocity, Volume 2, 2006, El Sevier, 1201-1269.
- [6] Associated Press, 1970. Man Behind Earth Day: Wisconsin Sen. Nelson *The San Bernardino County Sun* April 23. Accessed at Newspapers.com
- [7] Australian Associated Press. 2018. "Scott Morrison Tells Students Striking over Climate Change to be 'Less Activist'" Article accessed at <https://www.theguardian.com/environment/2018/nov/26/scott-morrison-tells-students-striking-over-climate-change-to-be-less-activist>
- [8] Becker, Sascha, Thiemo Fetzer, Dennis Novy. "Who Voted for Brexit?" *Economic Policy* 32, 601-650.
- [9] Bender, Michael, and Anthony DeBarros. 2020. "Trump Campaign Rallies Make Their Comeback." *The Wall Street Journal* September 11. Accessed at <https://www.wsj.com/articles/trump-campaign-rallies-make-their-comeback-11599853261>
- [10] Brainerd Daily Dispatch. "Backus Resets Earth Day for This Wednesday", p.2. (1970, April 27). Article accessed at <https://newspaperarchive.com/>
- [11] Brown, Eleanor. 1999. "Assessing the Value of Volunteer Activity" *Nonprofit and Voluntary Sector Quarterly*, 28(1), 3-17.

- [12] Brown, Alexander, Jonathan Meer, and J. Forrest Williams. 2019. "Why do People Volunteer? An Experimental Analysis of Preferences for Time Donations" *Management Science* 65(4), 1455-1468.
- [13] Bureau of Economic Analysis.1969-2000, "Employment by County, Metro, and Other Areas, Table CAEMP25S" United States Department of Commerce. <https://apps.bea.gov/iTable/iTable.cfm?isuri=1&reqid=70&step=1#isuri=1&reqid=70&step=1> (accessed August 2019)
- [14] Bureau of Economic Analysis.1969-2000, "Personal Income by County and Metropolitan Area, 2020", Table CAINC1" United States Department of Commerce. <https://apps.bea.gov/iTable/iTable.cfm?reqid=70&step=1&acrdn=6> (accessed August 2019)
- [15] Bureau of Economic Analysis.1969-2000, "Personal Income by County and Metropolitan Area, 2020", Table CAINC35" United States Department of Commerce. <https://apps.bea.gov/iTable/iTable.cfm?reqid=70&step=1&acrdn=6> (accessed August 2019)
- [16] Bureau of Labor Statistics, 1913-2012, "CPI for All Urban Consumers (CPI-U), Series Id CUUR0000SA0". <https://data.bls.gov/timeseries/CUUR0000SA0>
- [17] Caldwell, Christopher. 2019. "The Problem with Greta Thunberg's Climate Activism." *New York Times*, August 4.
- [18] Carrington, Damian. 2019. "School Climate Strikes: 1.4 Million Took Part, Say Campaigners" *The Guardian*, March 19.
- [19] Chay, Kenneth Y., and Greenstone, Michael. 2003. "The Impact of Air Pollution on Infant Mortality: Evidence from Geographic Variation in Pollution Shocks Induced by a Recession" *Quarterly Journal of Economics*, 1121-1167
- [20] Chenoweth, Erica, and Kathleen Chunningham. 2013. "Understanding Nonviolent Resistance: An Introduction" *Journal of Peace Research* 50(3), 271-276.
- [21] Currie, Janet, and Neidell, Matthew . 2005. "Air Pollution and infant Health: What Can We Learn from California's Recent Experience?" *Quarterly Journal of Economics*, 1003-1029.
- [22] Currie, Janet, Neidell, Matthew , and Schmieder, Johannes. 2009. "Air Pollution and Infant Health: Lessons from New Jersey" *Journal of Health Economics* 28, 688-703.
- [23] Currie, Janet, Michael Greenstone, and Enrico Moretti. 2011. "Superfund Cleanups and Infant Health" *American Economic Review: Papers & Proceedings* 101 (3), 435-441.

- [24] The Danville Bee. "DuVal Asks Pollution Board Head to Resign" (1970, April 23), p. 16. Article accessed at <https://newspaperarchive.com/>
- [25] Dempsey, Dave. "Reflecting on Earth Day 1970 in Michigan and the Origin of the State's Environmental Movement." Article published by For Love of Water, 2019. Accessed online at <http://flowforwater.org/reflecting-earth-day-1970-michigan-origin-states-environmental-movement/>
- [26] Downs, Anthony. 1991. "Up and Down with Ecology: The 'Issue Attention Cycle' " In: David protess & Maxwell McCombs (eds.) *Agenda Setting: Redaings on Media, Public Opinion, and Policy Making*. Hillsdale, NJ: Lawrence Erlbaum Associates.
- [27] Dunlap, Riley. 1992. "Trends in Public Opinion Toward Environmental Issues: 1965-1990" in Riley Dunlap and Angela Mertig (eds.) *American Environmentalism: the U.S. Environmental Movement 1970-1990*. Philadelphia: Taylor & Francis.
- [28] Elliott, Paul, David Briggs, Sara Morris, Cornelis de Hoogh, Christopher Hurt, Tina Jensen, Ian Maitland, Sylvia Richardsdon, Jon Wakefield,Lars Jarup. 2001. "Risk of Adverse Birth Outcomes in Populations Living Near Landfill Sites" *BMJ* August, 363-368.
- [29] EPA, Clean Air Markets - Environmental Issues. 2019. Accessed online at <https://www.epa.gov/airmarkets/clean-air-markets-environmental-issues>
- [30] EPA, What is Interstate Air Pollution Transport? 2019. Accessed online at <https://www.epa.gov/interstate-air-pollution-transport/what-interstate-air-pollution-transport>
- [31] "EPA Technical Bulletin: Nitrogen Oxides (NOx), Why and How They are Controlled" 1999. Accessed online at <https://www3.epa.gov/ttnecatc1/dir1/fnoxdoc.pdf>
- [32] Freeman, James. 2020. "Greta Thunberg and the Case of the Muddy Carbon Footprints" *The Wall Street Journal*, March 2.
- [33] Fried, Amy. 1998. "US Environmental Interest Groups and the Promotion of Environmental Values: The Resounding Success and Failure of Earth Day" *Environmental Politics* 7(4), 1-22.
- [34] Fujiwara, Thomas, Kyle Meng, Tom Vogl. 2016. "Habit Formation in Voting: Evidence from Rainy Elections" *American Economic Journal: Applied Economics* 8(4), 160-188.

- [35] Geiling, Natasha. 2018. “The Only Individual Action that Matters is Voting for People who Care About Climate Change” article accessed online at <https://theoutline.com/post/6388/the-only-individual-action-that-matters-is-voting-for-people-who-care-about-climate-change?zd=1&zi=jn7wv2lx>
- [36] Hayes, Denis. 1988. “Proposing a global Priority: Earth Day, 1990” *EPA Journal* 34, 34-37
- [37] Heglar, Mary Anaise. 2018. “The Big Lie We’re Told about Climate Change is that It’s Our Own Fault” article accessed at <https://www.vox.com/first-person/2018/10/11/17963772/climate-change-global-warming-natural-disasters>
- [38] Huebner, Robert, and Mark Lipsey. 1981. “The Relationship of Three Measures of Locus of Control to Environmental Activism” *Basic and Applied Social Psychology* 2(1): 45-58.
- [39] Isen, Adam, Maya Rossin-Slater, and W. Reed Walker. 2017. “Every Breath You Take—Every Dollar You’ll Make: The Long-Term Consequences of the Clean Air Act of 1970” *Journal of Political Economy* 125(3), 848-901.
- [40] Iyer, Sryia, Anand Shrivastava. 2018. “Religious Riots and Electoral Politics in India” *Journal of Development Economics* 131, 104-122.
- [41] Jennings, M. Kent and Richard Niemi. 1978. “The Persistence of Political Orientations: An Over-Time Analysis of Two Generations” *British Journal of Political Science* 8(3): 333-363.
- [42] Jennings, M. Kent, and Niemi, Richard G. Youth-Parent Socialization Panel Study, 1965-1973. Inter-university Consortium for Political and Social Research [distributor], 2016-01-28. <https://doi.org/10.3886/ICPSR07779.v3>
- [43] Kahn, Helen. 1976. “Seeking a Clear Path for Regulation” *Automotive News Market Data Book 1976*, 70-73
- [44] Jennings, M. Kent, and Niemi, Richard G. Youth-Parent Socialization Panel Study, 1965-1973. Inter-university Consortium for Political and Social Research [distributor], 2016-01-28. <https://doi.org/10.3886/ICPSR07779.v3>
- [45] Knittel, Christopher, Douglas Miller, and Nicholas Sanders. 2016. “Caution Drivers! Children Present: Traffic, Pollution, and Infant Health” *Review of Economics and Statistics* 98(2): 350-366.

- [46] Lewis, Jack. 1990. "The Spirit of the First Earth Day" *EPA Journal* 8, 8-12.
- [47] Lilley, Andrew, and Robert Slonim. 2014. "The Price of Warm Glow" *Journal of Public Economics* 114, 58-74.
- [48] Lukacs, Martin. 2018. "Neoliberalism has conned us into fighting climate change as individuals" article in the *Guardian* accessed online at <https://www.theguardian.com/environment/true-north/2017/jul/17/neoliberalism-has-conned-us-into-fighting-climate-change-as-individuals>
- [49] Madestam, Andreas, Daniel Shoag, Stan Veuger, and David Yanagizawa-Drott. 2013. "Do Political Protests Matter? Evidence from the Tea Party Movement" *Quarterly Journal of Economics*, 1633-1685.
- [50] Madestam, Andreas, and David Yanagizawa-Drott. 2012. "Shaping the Nation: The Effect of Fourth of July on Political Preferences and Behavior in the United States" HKS Faculty Research Working Paper Series RWP12-034, John F. Kennedy School of Government, Harvard University. .
- [51] Matthews, Susan. 2017. "Alarmism is the Argument We Need to Fight Climate Change" article accessed at <https://slate.com/technology/2017/07/we-are-not-alarmed-enough-about-climate-change.html>
- [52] Menne, Matthew, Imke Durre, Russell Vose, Byron Gleason, and Tamara Houston. 2012. "An Overview of the Global Historical Climatology Network-Daily Database" *Journal of Atmospheric and Oceanic Technology* 29, 897-910. doi:10.1175/JTECH-D-11-00103.1.
- [53] Montero, Eduardo, and Dean Yang. 2020. "Religious Festivals and Economic Development: Evidence from Catholic Saint Day Festivals in Mexico" Working paper.
- [54] Motor Vehicle Manufacturers Association of the United States, Inc., 1976 Detroit Mich., *Automobile Facts and Figures* ' 76.
- [55] National Center for Health Statistics (1980-1988). Data File Documentations, Natality. (machine readable data file and documentation, CD-ROM Series 21), National Center for Health Statistics, Hyattsville, Maryland.
- [56] National Center for Health Statistics of the Centers for Disease Control and Prevention (CDC). National Vital Statistics System. Public-use data file and documentation. https://www.cdc.gov/nchs/nvss/fetal_death.htm#Publications.

- [57] Oelwein Daily Register. “West Central students hold E-Day cleanup”, p. 1. (1970, April 24). Article accessed at <https://newspaperarchive.com/>
- [58] Ogden Standard-Examiner. “Rampton Talk Highlights 2-County Earth Day Rite”, p.17 (1970, April 23). Article accessed at <https://newspaperarchive.com/>
- [59] O’Riordan, Timothy, William Clark, Robert Kates, and Alan McGowan. 1995. “The Legacy of Earth Day: Reflections at a Turning Point” *Environment: Science and Policy for Sustainable Development* 37(3), 7-37.
- [60] Perez-Truglia, Ricaro, and Guillermo Cruces. 2017. “Partisan Interactions: Evidence from a Field Experiment in the United States” *Journal of Political Economy* 125(4), 1208-1243.
- [61] Price, Michael. 2014. “Using Field Experiments to Address Environmental Externalities and Resource Scarcity: Major Lessons Learned and New Directions for Future Research” *Oxford Review of Economic Policy* 30(4), 621-638.
- [62] Rankin, Robert. 1969. “Air Pollution Control and Public Apathy” *Journal of the Air Pollution Control Association* Volume 19(8): 565-569.
- [63] Ritz, Beate, Fei Yu, Scott Fruin, Guadalupe Chapa, Gary Shaw, and John Harris. 2002. “Ambient Air Pollution and Risk of Birth Defects in Southern California” *American Journal of Epidemiology* 155(1): 1725.
- [64] Rome, Adam. 2013. *The Genius of Earth Day: How a 1970 Teach-in Unexpectedly Made the First Green Generation*. New York: Hill and Wang.
- [65] Salomon, Erika, Jesse Preston, and Melanie Tannenbaum. 2017. “Climate change helplessness and the (de)moralization of individual energy behavior.” *Journal of Experimental Psychology: Applied* 23(1):15-28.
- [66] Scharf, Kimberley, Sarah Smith, and Mark Wilhelm. 2017. “Lift and Shift: The Effect of Fundraising Interventions in Charity Space and Time” CEPR Discussion Paper No. DP12338.
- [67] Semenza, Jan, David Hall, Daniel Wilson, Brian Bontempo, David Sailor, and Linda George. 2008. “Public Perception of Climate Change: Voluntary Mitigation and Barriers to Behavior Change” *Behavioral and Public Communication* 35: 479-487.

- [68] Sengupta, Somini. 2019. "Protesting Climate Change, Young People Take to Streets in a Global Strike." *New York Times*, September 20. Accessed online at <https://www.nytimes.com/2019/09/20/climate/global-climate-strike.html>
- [69] Shabecoff, Philip. 1993. *A Fierce Green Fire: The American Environmental Movement*. New York: Hill and Wang.
- [70] Smith, Tom W., Davern, Michael, Freese, Jeremy, and Morgan, Stephen, General Social Surveys, 1972-2018 [machine-readable data file] /Principal Investigator, Smith, Tom W.; Co-Principal Investigators, Michael Davern, Jeremy Freese, and Stephen Morgan; Sponsored by National Science Foundation. –NORC ed.– Chicago: NORC, 2018: NORC at the University of Chicago [producer and distributor]. Data accessed from the GSS Data Explorer website at gssdataexplorer.norc.org.
- [71] Smith, Leane. 2012. "Peak Through Time: Albion Takes Center Stage in CBS News Special on First Earth Day." News article published April 20, 2012, accessed online at https://www.mlive.com/news/jackson/2012/04/peek_through_time_albion_takes.html
- [72] Swearingen, J. H., 1970 *The World*, April 27. Accessed at Newspapers.com
- [73] Taylor, Derrick. 2020. "George Floyd Protests: A Timeline." *The New York Times*, June 10. Accessed at <https://www.nytimes.com/article/george-floyd-protests-timeline.html>
- [74] The Titusville Herald. "Thousands Over U.S. Join Demonstrations Marking Earth Day", p. 1. (1970, April 18) Article accessed at <https://newspaperarchive.com/>
- [75] United States. Bureau of the Census, and United States Department of Labor. Bureau of Labor Statistics. Current Population Survey, September 2002-2014: Volunteer Supplement. Inter-university Consortium for Political and Social Research [distributor], 2015-02-20. <https://doi.org/10.3886/ICPSR04032.v3>
- [76] U.S. Census Bureau, 2018. "Cartographic Boundary Files". <https://www.census.gov/geographies/mapping-files/time-series/geo/carto-boundary-file.html> (Accessed August 2019)
- [77] U.S. Census Bureau, 1970. "1970 Decennial Census". (Accessed August 2019)
- [78] US Environmental Protection Agency. Air Quality System Data Mart [internet database] available via <https://www.epa.gov/airdata>. Accessed August, 2019.

- [79] U.S. Federal Election Commission FEC . United States. Individual contributions data. <https://www.fec.gov/data/browse-data/>. (Accessed November 2019)
- [80] U.S. Government Printing Office. 1971. "Hearings Before the Subcommittee on Fisheries and Wildlife Conservation of the Committee on Merchant Marine and Fisheries," Serial No. 92-23, page 305.
- [81] U.S. Historical Climatology Network. Data accessed at <https://www.ncdc.noaa.gov/data-access/land-based-station-data/land-based-datasets/us-historical-climatology-network-ushcn>
- [82] Watts, Joe. 2019. "Theresa May Criticises Schoolchildren Protesting Against Looming Climate Disaster for Wasting Lesson Time" article accessed at <https://www.independent.co.uk/news/uk/politics/theresa-may-climate-change-school-pupils-protest-lesson-time-teachers-a8781046.html>
- [83] Xu, Jianhua, Cheryl Chi, and Kejun Zhu. 2017. "Concern or Apathy: the Attitude of the Public Toward Urban Air Pollution" *Journal of Risk Research* 20(4): 482-498.
- [84] The Youth Service, 1970. Most Students Back Earth Day Events *The Independent* Aug 27. Accessed at Newspapers.com
- [85] Zivin, Joshua and Matthew Neidell. 2013. "Environment, Health, and Human Capital" *Journal of Economic Literature* 51(3), 689-730.